



2025

Free Crimper on Loan Program



"The Hose People Plus"

Red-L Distributors Ltd.

Free Crimper Loan Program sales@redl.com 780-437-2630 www.redl.com



ELITE
DISTRIBUTOR

Free Crimper on Loan Requirements

PC125RCD 1" mini crimper FREE on a signed loan agreement with a \$8,000.00 initial order of any Continental items in this brochure (Ultra Clean items not included), and a minimum annual spend of \$15,000

**Stock lifts available, crimpers available to crimp up to 2" four & six wire
contact Red-L Distributors for details**

Description: The PC125RCD portable crimper, with its open design, removable pusher and easy-to-use, rubber-cage die set, is designed for higher production volume and repetitive use. Crimp diameter is set and controlled with an easy-to-read micrometer. The PC125RCD is packaged for shop service and includes the crimper and 1-HP, 110V electric pump on a common base, pressure plate, magnetized die ring pusher, stop/start remote pendant switch, metric micrometer, adjustable coupling stop and adjustable retraction stop.

Features:

- **Easy-to-read, fully adjustable metric micrometer allows precise setting of crimp diameters to an accuracy of +/- .1mm**
- **Open design with vertical feed for good operator visibility, Removable pusher and rubber-cage die set for easy loading**
- **60-ton cylinder, Automatic shut-off for precise crimps, Adjustable retraction stop limits ram retractions for quick repetitive crimps**
- **Adjustable coupling stop for accurate, repetitive positioning of the assembly inside the dies**
- **Two-piece, rubber-cage die design for easy installation and ow maintenance**
- **Common base for bench mounting, Color-coded die sets to speed die selection and setup**
- **1-HP, 110V pump, Pneumatic activation (no electric wires) of remote pendant switch**

Capability: 1/4" through 1" ID, 2-braid & 1" ID 4-spiral hose with all coupling end styles including most bent tubes

Power Source: 1-HP, 110V AC, single phase, 50-60 Hz, Electric Pump (PC125RCD/150-E1PUMP) with pneumatic stop/start pendant switch

Oil Capacity: 1 gallon

Mounting: Crimper and pump installed on plate

PC125RCD Dimensions: 20" deep x 11" wide x 19" tall **Weight:** 125 lbs.

DIES: Part #	Color	ID mm	DIES: Part #	Color	ID mm
PC125-8.5	Black	8.5	PC125-34	Purple	34
PC125-12	Black	12	PC125-41	Orange	41
PC125-14	Red	14	PC125-45	Black	45
PC125-16	Blue	16	PC125-50	Black	50
PC125-19	Green	19	PC125RCD-AC06		14
PC125-23	Yellow	23	PC125RCD-AC08		18.5
PC125-27	Brown	27	PC125RCD-AC12		22.4
PC125-31	Silver	31			

Replacement Parts:


- PC125-Pusher – Die Ring Pusher With Magnets
- PC125RCD Press Plate
- PC125-Cstop – Adjustable Coupling Stop
- PC125/150-Switch – Pneumatic Start/Stop Pendant Switch for 1 HP Pump
- PC125/150-E1Pump – 1 HP 110V Electric Pump
- PC900-Grease-3 oz. – High-pressure grease in a 3 oz. tube
- PC900-Grease-1 lb. – High-pressure grease in a 1 lb. can
- PC900-AerosolLube – High-pressure grease in an aerosol can

Options:

- PC125-Shelf-Black Die Storage Shelf Unit 13" deep x 12" wide x 15" high, 12 lbs.
- PC125RCD SKit includes the PC125RCD crimper and 8 die sets including:
16mm, 19mm, 23mm, 27mm, 31mm, 34mm, 41mm, and 50mm dies for 1/4" to 1-1/4" 1-braid, 2-braid, and 4-spiral hose



Arctic® LR16SC 1/4" to 1"



LR16SC Arctic® LR16SC is made for high-pressure service with tight bends for petroleum and water-based hydraulic fluids. It has excellent impulse performance and flexibility exceeding SAE 100R2 and SAE 100R16 standards.

Marking: Continental ARCTIC® LR16SC-size SAE 100R16 / EN 857 2SC size" (DNsize) WP PSI / MPa XXX BAR MSHA 2G-1C-14C/41 MADE IN USA

	Price/ft	Part #	Description
Inner Tube: Black nitrile synthetic rubber	3.98	LR16SC-04	1/4" 2WB 5800PSI HYD HOSE
Reinforcement: Braided Steel 2 Wire	4.64	LR16SC-06	3/8" 2WB 5000PSI HYD HOSE
Cover: Black CR (Polychloroprene)	5.24	LR16SC-08	1/2" 2WB 5000PSI HYD HOSE
Temp. Range: -57°C to 100°C / -70°F to 212°F	7.22	LR16SC-10	5/8" 2WB 4000PSI HYD HOSE
Fitting Type: B2	7.78	LR16SC-12	3/4" 2WB 3500PSI HYD HOSE
	12.09	LR16SC-16	1" 2WB 3000PSI HYD HOSE

Arctic LCPS Constant Pressure Spiral 3/8" to 1-1/4"




Continental Arctic LCPS Constant Pressure spiral is the ideal hose for very high pressure applications where sustained performance and flexibility are critical – even at extreme low temperatures. Meets or exceeds performance requirements of: • SAE 100R12 / EN 856 4SH (LCP4S) -or- • SAE 100R15 / EN 856 4SP (LCP6S)

	Price/ft	Part #	4100 PSI WP	Price/ft	Part #	6100 PSI WP
Inner Tube: Black nitrile synthetic rubber	11.62	LCP4S-06	3/8"	12.73	LCP6S-06	3/8"
Reinforcement: Four or six spiral layers steel wire	13.55	LCP4S-08	1/2"	14.07	LCP6S-08	1/2"
Cover: Black CR (Polychloroprene)	14.42	LCP4S-10	5/8"	16.64	LCP6S-10	5/8"
Temp. Range: -57°C to 100°C (-70°F to 212°F)	14.60	LCP4S-12	3/4"	18.53	LCP6S-12	3/4"
Fitting Type: SG	16.40	LCP4S-16	1"	21.73	LCP6S-16	1"
	21.26	LCP4S-20	1-1/4"	49.51	LCP6S-20	1-1/4"

B2 SERIES male FITTINGS

MALE NPT

NPT Male Crimp Fitting Hose size X Thread size



4.76	B2-NPM-0402	1/4 HOSE - 1/8 NPT
4.07	B2-NPM-0404	1/4 HOSE - 1/4 NPT
5.20	B2-NPM-0406	1/4 HOSE - 3/8 NPT
5.09	B2-NPM-0604	3/8 HOSE - 1/4 NPT
4.98	B2-NPM-0606	3/8 HOSE - 3/8 NPT
8.33	B2-NPM-0806	1/2 HOSE - 3/8 NPT
6.69	B2-NPM-0808	1/2 HOSE - 1/2 NPT
11.02	B2-NPM-0812	1/2 HOSE - 3/4 NPT
15.07	B2-NPM-1008	5/8 HOSE - 1/2 NPT
16.60	B2-NPM-1012	5/8 HOSE - 3/4 NPT
11.69	B2-NPM-1212	3/4 HOSE - 3/4 NPT
18.22	B2-NPM-1216	3/4 HOSE - 1 IN NPT
19.75	B2-NPM-1616	1 IN HOSE - 1 IN NPT

MALE SWIVEL NPMX

Hose size X Tube size



11.04	B2-NPMX-0404	1/4 HOSE - 1/4 NPT
12.18	B2-NPMX-0606	3/8 HOSE - 3/8 NPT
16.35	B2-NPMX-0608	3/8 HOSE - 1/2 NPT
15.98	B2-NPMX-0808	1/2 HOSE - 1/2 NPT
25.42	B2-NPMX-1212	3/4 HOSE - 3/4 NPT
37.51	B2-NPMX-1616	1 IN HOSE - 1 IN NPT

MALE O-RING BOSS


Hose size X Tube size



12.47	B2-OBM-0606	3/8 HOSE - 3/8 ORB M
13.53	B2-OBM-1212	3/4 HOSE - 3/4 ORB M

MALE JIC RIGID

Hose size X Tube size




5.20	B2-JCM-0404	1/4 HOSE - 1/4 JIC
6.44	B2-JCM-0606	3/8 HOSE - 3/8 JIC
6.31	B2-JCM-0608	3/8 HOSE - 1/2 JIC
6.73	B2-JCM-0808	1/2 HOSE - 1/2 JIC
10.53	B2-JCM-0812	1/2 HOSE - 3/4 JIC
11.89	B2-JCM-1010	5/8 HOSE - 5/8 JIC
12.75	B2-JCM-1212	3/4 HOSE - 3/4 JIC
16.40	B2-JCM-1216	3/4 HOSE - 1 IN JIC
21.11	B2-JCM-1616	1 IN HOSE - 1 IN JIC

B2 SERIES female FITTINGS

JIC FEMALE JCFX


Hose size X Tube size



- 5.13 **B2-JCFX-0404** 1/4 HOSE - 1/4 JIC
- 6.73 **B2-JCFX-0406** 1/4 HOSE - 3/8 JIC
- 6.31 **B2-JCFX-0606** 3/8 HOSE - 3/8 JIC
- 7.87 **B2-JCFX-0608** 3/8 HOSE - 1/2 JIC
- 10.82 **B2-JCFX-0610** 3/8 HOSE - 5/8 JIC
- 9.44 **B2-JCFX-0808** 1/2 HOSE - 1/2 JIC
- 10.13 **B2-JCFX-0810** 1/2 HOSE - 5/8 JIC
- 13.00 **B2-JCFX-0812** 1/2 HOSE - 3/4 JIC
- 14.24 **B2-JCFX-1010** 5/8 HOSE - 5/8 JIC
- 15.04 **B2-JCFX-1012** 5/8 HOSE - 3/4 JIC
- 14.22 **B2-JCFX-1212** 3/4 HOSE - 3/4 JIC
- 26.62 **B2-JCFX-1216** 3/4 HOSE - 1 IN JIC
- 29.09 **B2-JCFX-1612** 1 IN HOSE - 3/4 JIC
- 24.71 **B2-JCFX-1616** 1 IN HOSE - 1 IN JIC

ORFS FEMALE OFFX


Hose size X Tube size



- 7.53 **B2-OFFX-0404** 1/4 HOSE - 1/4 ORFS
- 9.40 **B2-OFFX-0406** 1/4 HOSE - 3/8 ORFS
- 9.40 **B2-OFFX-0606** 3/8 HOSE - 3/8 ORFS
- 10.49 **B2-OFFX-0608** 3/8 HOSE - 1/2 ORFS
- 11.75 **B2-OFFX-0808** 1/2 HOSE - 1/2 ORFS
- 11.71 **B2-OFFX-0810** 1/2 HOSE - 5/8 ORFS
- 15.64 **B2-OFFX-1010** 5/8 HOSE - 5/8 ORFS
- 19.35 **B2-OFFX-1012** 5/8 HOSE - 3/4 ORFS
- 21.29 **B2-OFFX-1212** 3/4 HOSE - 3/4 ORFS
- 22.95 **B2-OFFX-1216** 3/4 HOSE - 1 IN ORFS
- 30.49 **B2-OFFX-1616** 1 IN HOSE - 1 IN ORFS

NPT FIXED FEMALE


Hose ID x Tube



- 6.82 **B2-NPF-0404** 1/4 HOSE - 1/4 NPSM
- 7.67 **B2-NPF-0606** 3/8 HOSE - 3/8 NPSM
- 13.27 **B2-NPF-0808** 1/2 HOSE - 1/2 NPSM
- 17.24 **B2-NPF-1212** 3/4 HOSE - 3/4 NPSM

FEMALE SWIVEL NPTF

Hose size X Tube size



- 1/2 HOSE - 1/2 FEMALE NPSM SWIVEL
- 12.29 B2-NSFX-0808**

JIC FEMALE 90° TUBE BEND

Hose size X Tube size



- 13.07 **B2-JCFX90-0404** 1/4 HOSE - 1/4 JIC F 90°
- 15.00 **B2-JCFX90-0406** 1/4 HOSE - 3/8 JIC F 90°
- 13.49 **B2-JCFX90-0606** 3/8 HOSE - 3/8 JIC F 90°
- 14.55 **B2-JCFX90-0608** 3/8 HOSE - 1/2 JIC F 90°
- 15.91 **B2-JCFX90-0808** 1/2 HOSE - 1/2 JIC F 90°
- 18.84 **B2-JCFX90-0810** 1/2 HOSE - 5/8 JIC F 90°
- 22.60 **B2-JCFX90-1010** 5/8 HOSE - 5/8 JIC F 90°
- 28.13 **B2-JCFX90-1012** 5/8 HOSE - 3/4 JIC F 90°
- 26.78 **B2-JCFX90-1212** 3/4 HOSE - 3/4 JIC F 90°
- 41.28 **B2-JCFX90-1616** 1 IN HOSE - 1 IN JIC F 90°

ORFS FEMALE 90° TUBE BEND

Hose size X Tube size



- 10.69 **B2-OFFX90-0404** 1/4 HOSE - 1/4 ORFS F 90°
- 13.80 **B2-OFFX90-0406** 1/4 HOSE - 3/8 ORFS F 90°
- 15.24 **B2-OFFX90-0606** 3/8 HOSE - 3/8 ORFS F 90°
- 19.53 **B2-OFFX90-0608** 3/8 HOSE - 1/2 ORFS F 90°
- 17.29 **B2-OFFX90-0808** 1/2 HOSE - 1/2 ORFS F 90°
- 22.04 **B2-OFFX90-0810** 1/2 HOSE - 5/8 ORFS F 90°
- 31.40 **B2-OFFX90-1010** 5/8 HOSE - 5/8 ORFS F 90°
- 29.62 **B2-OFFX90-1212** 3/4 HOSE - 3/4 ORFS F 90°
- 46.60 **B2-OFFX90-1616** 1 IN HOSE - 1 IN ORFS F 90°

JIC FEMALE 45° TUBE BEND

Hose size X Tube size



- 12.49 **B2-JCFX45-0404** 1/4 HOSE - 1/4 JIC F 45°
- 33.95 **B2-JCFX45-0406** 1/4 HOSE - 3/8 JIC F 45°
- 12.69 **B2-JCFX45-0606** 3/8 HOSE - 3/8 JIC F 45°
- 14.69 **B2-JCFX45-0808** 1/2 HOSE - 1/2 JIC F 45°
- 20.18 **B2-JCFX45-0810** 1/2 HOSE - 5/8 JIC F 45°
- 27.97 **B2-JCFX45-1010** 5/8 HOSE - 5/8 JIC F 45°
- 27.49 **B2-JCFX45-1212** 3/4 HOSE - 3/4 JIC F 45°
- 47.33 **B2-JCFX45-1616** 1 IN HOSE - 1 IN JIC F 45°

ORFS FEMALE 45° TUBE BEND


Hose size X Tube size



- 12.24 **B2-OFFX45-0404** 1/4 HOSE - 1/4 ORFS
- 31.66 **B2-OFFX45-0406** 1/4 HOSE - 3/8 ORFS
- 16.84 **B2-OFFX45-0606** 3/8 HOSE - 3/8 ORFS
- 18.86 **B2-OFFX45-0608** 3/8 HOSE - 1/2 ORFS
- 19.84 **B2-OFFX45-0808** 1/2 HOSE - 1/2 ORFS
- 23.78 **B2-OFFX45-0810** 1/2 HOSE - 5/8 ORFS
- 29.42 **B2-OFFX45-1010** 5/8 HOSE - 5/8 ORFS
- 36.93 **B2-OFFX45-1212** 3/4 HOSE - 3/4 ORFS
- 48.33 **B2-OFFX45-1616** 1" HOSE - 1" ORFS

STAY CONNECTED UNDER THE HIGHEST PRESSURES

Continental fittings are constructed from a single piece of steel without brazed or welded joints to provide ultimate protection against leaks and potential leak paths. With full-length crimps and a low-profile design that will last longer, the interlocking bite-to-wire technology delivers maximum coupling retention for safer assembly and reliability under the toughest pressure – no internal or external skive required.



Full-length crimp offers maximum coupling retention for a safe and longer-lasting assembly.

Our bite-to-wire fittings penetrate the cover with a powerful bite into the wire reinforcement, resulting in even hose compression and maximum integrity.

SG SERIES FITTINGS

MALE JIC RIGID

Hose size X Tube size



- 9.15 **SG-JCM-0606** 3/8 HOSE - 3/8 JIC
- 19.71 **SG-JCM-0808** 1/2 HOSE - 1/2 JIC
- 17.33 **SG-JCM-1212** 3/4 HOSE - 3/4 JIC
- 30.62 **SG-JCM-1616** 1" HOSE - 1" JIC
- 47.73 **SG-JCM-2020** 1-1/4" HOSE - 1-1/4" JIC
- 71.37 **SG-JCM-2424** 1-1/2" HOSE - 1-1/2" JIC

MALE NPT

Hose size X Thread size



- 9.15 **SG-NPM-0606** 3/8 HOSE - 3/8 NPT
- 14.73 **SG-NPM-0808** 1/2 HOSE - 1/2 NPT
- 18.51 **SG-NPM-1212** 3/4 HOSE - 3/4 NPT
- 30.17 **SG-NPM-1616** 1" HOSE - 1" NPT
- 47.93 **SG-NPM-2020** 1-1/4" HOSE - 1-1/4" NPT
- 66.17 **SG-NPM-2424** 1-1/2" HOSE - 1-1/2" NPT

SAE FLANGE


CODE 61



- 20.02 **SG-FL-0808** 1/2 HOSE - 1/2 CD 61
- 28.09 **SG-FL-1212** 3/4 HOSE - 3/4 CD 61
- 30.55 **SG-FL-1216** 3/4 HOSE - 1" CD 61
- 36.26 **SG-FL-1616** 1" HOSE - 1" CD 61
- 116.68 **SG-FL-2020** 1-1/4" HOSE - 1-1/4" CD 61
- 156.32 **SG-FL-2424** 1-1/2" HOSE - 1-1/2" CD 61

ORFS FEMALE


Hose size X Tube size



- 13.22 **SG-OFFX-0606** 3/8 HOSE - 3/8 ORFS
- 15.40 **SG-OFFX-0808** 1/2 HOSE - 1/2 ORFS
- 17.11 **SG-OFFX-0810** 1/2 HOSE - 5/8 ORFS
- 31.60 **SG-OFFX-0812** 1/2 HOSE - 3/4 ORFS
- 23.35 **SG-OFFX-1010** 5/8 HOSE - 5/8 ORFS
- 24.78 **SG-OFFX-1212** 3/4 HOSE - 3/4 ORFS
- 38.55 **SG-OFFX-1216** 3/4 HOSE - 1" ORFS
- 42.02 **SG-OFFX-1616** 1" HOSE - 1" ORFS
- 97.75 **SG-OFFX-2020** 1-1/4" HOSE - 1-1/4" ORFS
- 220.84 **SG-OFFX-2424** 1-1/2" HOSE - 1-1/2" ORFS

JIC FEMALE

Hose size X Tube size



- 8.42 **SG-JCFX-0606** 3/8 HOSE - 3/8 JIC F
- 17.04 **SG-JCFX-0808** 1/2 HOSE - 1/2 JIC F
- 19.89 **SG-JCFX-0812** 1/2 HOSE - 3/4 JIC F
- 23.38 **SG-JCFX-1212** 3/4 HOSE - 3/4 JIC F
- 33.55 **SG-JCFX-1216** 3/4 HOSE - 1" JIC F
- 40.24 **SG-JCFX-1612** 1" HOSE - 3/4 JIC F
- 37.17 **SG-JCFX-1616** 1" HOSE - 1" JIC F
- 60.88 **SG-JCFX-2020** 1-1/4" HOSE - 1-1/4" JIC F
- 66.28 **SG-JCFX-2424** 1-1/2" HOSE - 1-1/2" JIC F



SAE FLANGE 45° TUBE BEND

CODE 61



- 36.93 **SG-FL45-0808** 1/2 HOSE - 1/2 CD 61
- 36.09 **SG-FL45-0812** 1/2 HOSE - 3/4 CD 61
- 39.71 **SG-FL45-1212** 3/4 HOSE - 3/4 CD 61
- 50.64 **SG-FL45-1216** 3/4 HOSE - 1" CD 61
- 55.64 **SG-FL45-1616** 1" HOSE - 1" CD 61
- 168.32 **SG-FL45-2020** 1-1/4" HOSE - 1-1/4" CD 61
- 216.25 **SG-FL45-2424** 1-1/2" HOSE - 1-1/2" CD 61

JIC FEMALE 45° TUBE BEND



- 17.58 **SG-JCFX45-0606** 3/8 HOSE - 3/8 JIC F 45°
- 18.89 **SG-JCFX45-0808** 1/2 HOSE - 1/2 JIC F 45°
- 33.22 **SG-JCFX45-1212** 3/4 HOSE - 3/4 JIC F 45°
- 52.06 **SG-JCFX45-1216** 3/4 HOSE - 1" JIC F 45°
- 55.66 **SG-JCFX45-1616** 1" HOSE - 1" JIC F 45°
- 100.23 **SG-JCFX45-2020** 1-1/4" HOSE - 1-1/4" JIC F 45°
- 142.36 **SG-JCFX45-2424** 1-1/2" HOSE - 1-1/2" JIC F 45°

SAE FLANGE 90° TUBE BEND

CODE 61



- 34.13 **SG-FL90-0808** 1/2 HOSE - 1/2 CD 61
- 35.77 **SG-FL90-0812** 1/2 HOSE - 3/4 CD 61
- 42.13 **SG-FL90-1212** 3/4 HOSE - 3/4 CD 61
- 48.88 **SG-FL90-1216** 3/4 HOSE - 1" CD 61
- 55.93 **SG-FL90-1616** 1" HOSE - 1" CD 61
- 86.37 **SG-FL90-2020** 1-1/4" HOSE - 1-1/4" CD 61
- 192.29 **SG-FL90-2424** 1-1/2" HOSE - 1-1/2" CD 61

ORFS FEMALE 45° TUBE BEND

Hose size X Tube size



- 22.15 **SG-OFFX45-0606** 3/8 HOSE - 3/8 ORFS 45°
- 24.38 **SG-OFFX45-0808** 1/2 HOSE - 1/2 ORFS 45°
- 36.51 **SG-OFFX45-1010** 5/8 HOSE - 5/8 ORFS 45°
- 44.02 **SG-OFFX45-1212** 3/4 HOSE - 3/4 ORFS 45°
- 55.19 **SG-OFFX45-1616** 1" HOSE - 1" ORFS 45°
- 194.27 **SG-OFFX45-2020** 1-1/4" HOSE - 1-1/4" ORFS 45°
- 259.35 **SG-OFFX45-2424** 1-1/2" HOSE - 1-1/2" ORFS 45°

JIC FEMALE 90° TUBE BEND



- 17.58 **SG-JCFX90-0606** 3/8 HOSE - 3/8 JIC F 90°
- 19.18 **SG-JCFX90-0808** 1/2 HOSE - 1/2 JIC F 90°
- 31.73 **SG-JCFX90-1212** 3/4 HOSE - 3/4 JIC F 90°
- 52.06 **SG-JCFX90-1216** 3/4 HOSE - 1IN JIC F 90°
- 60.31 **SG-JCFX90-1616** 1IN HOSE - 1IN JIC F 90°
- 96.75 **SG-JCFX90-2020** 1-1/4" HOSE - 1-1/4" JIC F 90°
- 267.88 **SG-JCFX90-2424** 1-1/2" HOSE - 1-1/2" JIC F 90°

ORFS FEMALE 90° TUBE BEND

Hose size X Tube size



- 19.13 **SG-OFFX90-0606** 3/8 HOSE - 3/8 ORFS 90°
- 24.22 **SG-OFFX90-0808** 1/2 HOSE - 1/2 ORFS 90°
- 64.62 **SG-OFFX90-1010** 5/8 HOSE - 5/8 ORFS 90°
- 37.37 **SG-OFFX90-1212** 3/4 HOSE - 3/4 ORFS 90°
- 54.71 **SG-OFFX90-1616** 1" HOSE - 1" ORFS 90°
- 126.63 **SG-OFFX90-2020** 1-1/4" HOSE - 1-1/4" ORFS 90°
- 300.93 **SG-OFFX90-2424** 1-1/2" HOSE - 1-1/2" ORFS 90°



"The Hose People Plus"




"The Hose People Plus"

Red-L Distributors Ltd.

sales@redl.com 780-437-2630 www.redl.com 1-800-252-9390

MP-MP Hex Nipple


MNPT X MNPT Hex Nipple



- 5404-02-02 1/8" - 1/8"
- 5404-04-02 1/4" - 1/8"
- 5404-04-04 1/4" - 1/4"
- 5404-06-04 3/8" - 1/4"
- 5404-06-06 3/8" - 3/8"
- 5404-08-04 1/2" - 1/4"
- 5404-08-06 1/2" - 3/8"
- 5404-08-08 1/2" - 1/2"
- 5404-12-08 3/4" - 1/2"
- 5404-12-12 3/4" - 3/4"
- 5404-16-16 1" - 1"

MP-FP Reducer Bushing


MNPT X FNPT Reducer Bushing



- 5406-04-02 1/4" - 1/8"
- 5406-06-02 3/8" - 1/8"
- 5406-06-04 3/8" - 1/4"
- 5406-08-04 1/2" - 1/4"
- 5406-08-06 1/2" - 3/8"
- 5406-12-06 3/4" - 3/8"
- 5406-12-08 3/4" - 1/2"
- 5406-16-08 1" - 1/2"
- 5406-16-12 1" - 3/4"

MJ-MP Straight

Male JIC X Male NPT



- 2404-04-02 1/4" - 1/8"
- 2404-04-04 1/4" - 1/4"
- 2404-06-04 3/8" - 1/4"
- 2404-06-06 3/8" - 3/8"
- 2404-08-06 1/2" - 3/8"
- 2404-08-08 1/2" - 1/2"
- 2404-12-12 3/4" - 3/4"
- 2404-16-16 1" - 1"

MJ-MORB Straight

MJIC X MORB



- 6400-04-04-O 1/4" - 1/4"
- 6400-04-08-O 1/4" - 1/2"
- 6400-06-06-O 3/8" - 3/8"
- 6400-06-08-O 3/8" - 1/2"
- 6400-08-08-O 1/2" - 1/2"
- 6400-12-10-O 3/4" - 5/8"
- 6400-12-12-O 3/4" - 3/4"

Cap Assembly Insert

ORFS Tube Nut & Insert



- FS0304-C-04 1/4"
- FS0304-C-06 3/8"
- FS0304-C-08 1/2"
- FS0304-C-10 5/8"
- FS0304-C-12 3/4"
- FS0304-C-16 1"
- FS0304-C-20 1-1/4"

MJ-MAORB 90° Elbow


Forged



- 6801-04-04-NWO-FG 1/4" - 1/4"
- 6801-04-06-NWO-FG 1/4" - 3/8"
- 6801-06-06-NWO-FG 3/8" - 3/8"
- 6801-08-08-NWO-FG 1/2" - 1/2"
- 6801-12-12-NWO-FG 3/8" - 3/8"

JIC Cap Nut

JIC Cap Nut



- 0304-C-04 1/4"
- 0304-C-06 3/8"
- 0304-C-08 1/2"
- 0304-C-10 5/8"
- 0304-C-12 3/4"
- 0304-C-16 1"

MJ-MP 90° Elbow

MJIC X MNPT 90° Elbow Forged



- 2501-04-02-FG 1/4" - 1/8"
- 2501-04-04-FG 1/4" - 1/4"
- 2501-06-04-FG 3/8" - 1/4"
- 2501-08-06-FG 1/2" - 3/8"
- 2501-08-08-FG 1/2" - 1/2"
- 2501-12-12-FG 3/4" - 3/4"

MJ Plug

MJIC Plug



- 2408-04 1/4"
- 2408-05 5/16"
- 2408-06 3/8"
- 2408-08 1/2"
- 2408-10 5/8"
- 2408-12 3/4"
- 2408-16 1"

MFS Plug

Male ORFS Plug



- FS2408-04 1/4"
- FS2408-06 3/8"
- FS2408-08 1/2"
- FS2408-10 5/8"
- FS2408-12 3/4"
- FS2408-16 1"
- FS2408-20 1-1/4"

Hollow Hex Plug

MNPT Allen Head Recessed Pipe Plug



- 5406-HP-02 1/8"
- 5406-HP-04 1/4"
- 5406-HP-06 3/8"

MJ-MJ Straight


Male JIC X Male JIC Straight Union



- 2403-04-04 1/4"
- 2403-06-06 3/8"
- 2403-08-08 1/2"

MJ Bulkhead Union


MJIC Bulkhead Union with Nut



- 2700-LN-04-04 1/4"
- 2700-LN-06-06 3/8"
- 2700-LN-12-12 3/4"

MP-FP 90° Street Elbow

MNPT X FNPT 90° Street Elbow Forged



- 5502-02-02-FG 1/8" - 1/8"
- 5502-04-04-FG 1/4" - 1/4"
- 5502-08-08-FG 1/2" - 1/2"

External Hex Plug

MNPT External Hex Pipe Plug



- 5406-P-02 1/8"
- 5406-P-04 1/4"
- 5406-P-06 3/8"
- 5406-P-08 1/2"

FP-FP Straight

FNPT Straight Coupling



- 5000-02-02 1/8"
- 5000-04-04 1/4"
- 5000-06-06 3/8"
- 5000-08-08 1/2"
- 5000-12-12 3/4"

MJ-FJS 90° Elbow

Forged



- 6500-04-04-FG 1/4" - 1/8"
- 6500-06-06-FG 3/8" - 3/8"
- 6500-08-08-FG 1/2" - 1/2"

FP-FP-FP Tee


Forged



- 5605-04-04-04-FG 1/4"
- 5605-08-08-08-FG 1/2"

MORB Hex Plug

MORB EXTERNAL Hex Plug



- 6408-06-O 3/8"
- 6408-08-O 1/2"

MP-FPS Straight

MNPT X FNPT Straight



- 1404-04-04 1/4" - 1/4"
- 1404-08-04 1/2" - 1/4"

MP-FJS Straight


MNPT X Female JIC Straight



- 6505-04-04 1/4"

MJ-MP 45° Elbow


MJIC X MNPT 45° Elbow Forged



- 2503-04-02-FG 1/4" - 1/8"

MP-FP 45° Street Elbow


MNPT X FNPT 45° Street Elbow Forged



- 5503-02-02-FG 1/8" - 1/8"

MP-FP-FP Street Tee

Forged



- 5602-04-04-04-FG 1/4"

Hydraulic Adapters

PRICE ON REQUEST

The numbers used by Red-L Distributors Ltd. do not necessarily indicate the source of manufacture, but may instead be part numbers used by Red-L Distributors Ltd. only, we reserve the right to substitute equal product quality for items ordered, images may not be an exact likeness, errors are subject to correction, prices are subject to change without notice. Red-L, the Red-L logo, "The Hose People Plus" are property of Red-L Distributors Ltd. and or their affiliated companies. All other logo's, marks, images, copyrights and registrations are the Intellectual Property of their respective owners. Program effective November 02, 2023 - March 31, 2024. www.redl.com sales@redl.com



UC-CAP **\$3865** Complete 2" Starter Kit

The most popular of our kits, the UC-CAP kit capable of cleaning applications up to 2" ID. Perfect for cleaning hoses, hose assemblies, tubes, and pipe.

(Ultra Clean items not included in Free Crimper on loan initial order spend requirement)

Bill Of Materials

- Includes one (1) each of the following:**
- UC-HL2 Launcher
 - UC-AR1 Adaptor Ring for smaller nozzles/applications
 - UC-QRC Quick-Release Female Coupler x 1/2" Hose Barb
 - UC-CC Carrying Case
 - UC-PC Projectile Catcher Bucket
 - UC-H06 (1/4" Hose Nozzle)
 - UC-H08 (5/16" Hose Nozzle)
 - UC-H10 (3/8" Hose Nozzle)
 - UC-H13 (1/2" Hose Nozzle)
 - UC-H16 (5/8" Hose Nozzle)
 - UC-H19 (3/4" Hose Nozzle)
 - UC-H25 (1" Hose Nozzle)
 - UC-H32 (1 1/4" Hose Nozzle)
 - UC-H38 (1 1/2" Hose Nozzle)
 - UC-H50 (2" Hose Nozzle)
 - UC-J06 (1/4" JIC Nozzle)
 - UC-J10 (3/8" JIC Nozzle)
 - UC-J13/T13 (1/2" JIC/Tube Nozzle)
 - UC-J16/T16 (5/8" JIC/Tube Nozzle)
 - UC-J19/T19 (3/4" JIC/Tube Nozzle)
 - UC-J25/T22 (1" JIC / 7/8" Tube Nozzle)
 - UC-J32/T25 (1 1/4" JIC / 1" Tube Nozzle)
 - UC-J38/T38 (1 1/2" JIC/Tube Nozzle)
 - UC-J50/T50 (2" JIC/Tube Nozzle)
 - UC-4FFORX (-4 [1/4"] Flat-Face O-Ring Fitting Nozzle)
 - UC-S Launcher Stand
 - UC-P2 Projectile Kit **Includes 1 each of the following Projectile bags**
 - UC07 (7mm) x 100pcs per bag
 - UC10 (10mm) x 100pcs per bag
 - UC12 (12mm) x 100pcs per bag
 - UC14 (14mm) x 100pcs per bag
 - UC16 (16mm) x 100pcs per bag
 - UC18 (18mm) x 100pcs per bag
 - UC20 (20mm) x 50pcs per bag
 - UC22 (22mm) x 50pcs per bag
 - UC26 (26mm) x 50pcs per bag
 - UC33 (33mm) x 40pcs per bag
 - UC40 (40mm) x 30pcs per bag
 - UC50 (50mm) x 20pcs per bag
 - UC60 (60mm) x 15pcs per bag



Economy Launcher Kit UC-EL8-DP

\$1275

The perfect kit for applications from 1/8" through 1-1/4", designed as an economical cleaning solution for handling most of the every day applications.

(Ultra Clean items not included in Free Crimper on loan initial order spend requirement)

Bill Of Materials


- Includes 1 ea. of the following:**
- UC-EL1.25 Launcher
 - UC-QRC Quick-Release Female Coupler x 1/2" hose Barb
 - UC-CC Carrying Case
 - UC-PC Projectile Catcher Bucket
 - UC-H06 (1/4" Hose Nozzle)
 - UC-H10 (3/8" Hose Nozzle)
 - UC-H13 (1/2" Hose Nozzle)
 - UC-H16 (5/8" Hose Nozzle)
 - UC-H19 (3/4" Hose Nozzle)
 - UC-H25 (1" Hose Nozzle)
 - UC-H32 (1 1/4" Hose Nozzle)
 - UC-P1 Projectile Kit **Includes 1 ea. of the following bags:**
 - UC07 (7mm) x 100pcs per bag
 - UC10 (10mm) x 100pcs per bag
 - UC12 (12mm) x 100pcs per bag
 - UC14 (14mm) x 100pcs per bag
 - UC16 (16mm) x 100pcs per bag
 - UC18 (18mm) x 100pcs per bag
 - UC20 (20mm) x 50pcs per bag
 - UC22 (22mm) x 50pcs per bag
 - UC26 (26mm) x 50pcs per bag
 - UC33 (33mm) x 40pcs per bag
 - UC40 (40mm) x 30pcs per bag



"The Hose People Plus"

Red-L Distributors Ltd.

sales@redl.com 780-437-2630 www.redl.com 1-800-252-9390



"The Hose People Plus"

Red-L Distributors Ltd.

Nisku

Corporate Headquarters & Distribution Center
3675 - 13 Street, Nisku, AB. T9E 1C5 P.
780.437.2630, 1.800.252.9390
Sales@redl.com

Calgary

4800 - 52 Street S.E. Calgary, AB.
T2B 3R2 P. 403.720.2872, F.
403.720.2884 calgary@redl.com

Edmonton

west 11240 - 163rd Street
Edmonton, AB. T5M 1Y6 P.
780.451.2820, F. 780.452.0585
redlnorth@redl.com

Edmonton

south
975 5 - 47 Avenue Edmonton, AB.
T6E 5M7 P. 780.431.8643, F. 780-
988-5687 redlsouth@redl.com

Bonnyville

6210A - 49 Avenue Bonnyville, AB. T9N
2M5 P. 780.826.2333, F. 780.826.3239
bonnyville@redl.com

Fort McMurray

3A - 380 Mackenzie Boulevard
Fort McMurray, AB. T9H 4C4
P. 780.791.0404, F. 780.743.5404
ftmac@redl.com

Fort St. John

#102 10331 Alaska Road,
Ft. St. John
BC. V1J 1A3
P. 778.715.2909
fortstjohn@redl.com

Whitecourt

3415 - 41 Avenue
Whitecourt, AB. T7S 0A9
P. 780.778.5119
whitecourt@redl.com

Grande Prairie

12001 - 97 Avenue
Grande Prairie, AB. T8W 0J7
P. 780.814.6010, F. 780.814.6015
gp@redl.com

Lloydminster

B-5903-47 Street
Lloydminster, AB. T9V 2G4
P. 780.871.0766, F. 780.871.0607
lloydminster@redl.com

Red Deer

#2, 7957 - 49th Avenue
Red Deer, AB. T4P 2V5
P. 403.346.4673, F. 403.340.0690
reddeer@redl.com



Approved Supplier

The numbers used by Red-L Distributors Ltd. do not necessarily indicate the source of manufacture, but may instead be part numbers used by Red-L Distributors Ltd. only, we reserve the right to substitute equal product quality for items ordered, images may not be an exact likeness, errors are subject to correction, prices are subject to change without notice. Red-L, the Red-L logo, "The Hose People Plus" are property of Red-L Distributors Ltd. and or their affiliated companies. All other logo's, marks, images, copyrights and registrations are the Intellectual Property of their respective owners. Program effective December 31, 2025. www.redl.com sales@redl.com