



**Spring/Summer 2024**

**Proudly Serving Western Canada For Over 63 Years**  
**Family Owned & Operated**



**Red-L Distributors Ltd.**



[www.redl.com](http://www.redl.com)      1.800.252.9390

**Bonnyville 780.826.2333**  
[Bonnyville@redl.com](mailto:Bonnyville@redl.com)

**Edmonton west 780.451.2820**  
[redlnorth@redl.com](mailto:redlnorth@redl.com)

**Fort McMurray 780.791.0404**  
[ftmac@redl.com](mailto:ftmac@redl.com)

**Grande Prairie 780.814.6010**  
[gp@redl.com](mailto:gp@redl.com)

**Nisku 780.437.2630**  
[Sales@redl.com](mailto:Sales@redl.com)

**Whitecourt 780.778.5119**  
[whitecourt@redl.com](mailto:whitecourt@redl.com)

**Calgary 403.720.2872**  
[calgary@redl.com](mailto:calgary@redl.com)

**Edmonton south 780.431.8643**  
[redlsouth@redl.com](mailto:redlsouth@redl.com)

**Fort St. John 778.715.2909**  
[fortstjohn@redl.com](mailto:fortstjohn@redl.com)

**Lloydminster 780.871.0766**  
[Lloydminster@redl.com](mailto:Lloydminster@redl.com)

**Red Deer 403.346.4673**  
[reddeer@redl.com](mailto:reddeer@redl.com)


Prices are subject to change without notice and do not include freight or taxes, the numbers used by Red-L Distributors Ltd. do not necessarily indicate the source of manufacture, but may instead be part numbers used by Red-L Distributors Ltd. only, Red-L reserves the right to substitute equal product quality for items ordered, images may not be an exact likeness, errors are subject to correction. Red-L, the Red-L logo, "The Hose People Plus" are property of Red-L Distributors Ltd. and or their affiliated companies. All other logo's, marks, images and registrations are the Intellectual Property of their respective owners. **Offering effective May 01 - October 01, 2024**



**Approved Supplier**

# NEW PRODUCT LINE

## SPECIAL INTRODUCTORY PRICING



### COMPREHENSIVE PRODUCT LINE

- Grinding Wheels
- Combination Wheels
- Cutoff Wheels
- Flap Discs
- Wire Brushes
- High Speed Gas Saw Wheels
- Nylon Floor Pads & Hand Pads
- Flaring Cupstones
- Grinding Cones & Capstone
- Acid Swab Brushes
- Expansion Joint Brushes
- Clean & Strip Discs
- Sanding Belts

Save Up To  
**34%**  
List Price\*

PART NUMBER		REGULAR LIST PRICE	INTRODUCTORY PRICE
A3236	6 X 1/4 X 7/8 Grinding wheel	\$7.99	\$6.35
A2480	6 X .040 X 7/8 Cut Off Wheel, type 27	\$6.82	\$4.82
A2481	6 X .045 X 7/8 Cut Off whl-T27	\$7.15	\$5.04
F1706	6 X .040 X 7/8 Cut Off Whl-T1	\$5.71	\$4.04
F1707	6 X .045 X 7/8 Cut Off Whl-T1	\$5.96	\$4.20
Z6000NT	6 X 7/8 Flap Disc, Nylon Back Grit 40	\$11.83	\$7.85
Z6005NT	6 X 7/8 Flap Disc, Nylon Back Grit 60	\$11.83	\$7.85
Z6010NT	6 X 7/8 Flap Disc, Nylon Back Grit 80	\$11.83	\$7.85
Z6020NT	6 X 7/8 Flap Disc, Nylon Back Grit 120	\$11.83	\$7.85
Z6000F	6 X 7/8 Flap Disc, Fiber Back Grit 40	\$11.52	\$7.55
Z6005F	6 X 7/8 Flap Disc, Fiber Back Grit 60	\$11.52	\$7.55
Z6010F	6 X 7/8 Flap Disc, Fiber Back Grit 80	\$11.52	\$7.55
Z6020F	6 X 7/8 Flap Disc, Fiber Back Grit 120	\$11.52	\$7.55
H0615	6 X 5/8 Clean and Strip Disc Black	\$14.45	\$11.49
F5521	14 X 3/32 X 1 Chop saw Wheel	\$9.00	\$7.95
A2236	5 X 1/4 X 7/8 Grinding wheel	\$6.24	\$4.97
A1580	5 X .040 X 7/8 Cut Off type 27	\$5.41	\$3.81

**Smoother cuts. Longer life.**

Flexovit abrasives grind smooth, cool, remove metal faster and last longer than the competition. Our best-in-class performance is the direct result of our commitment to quality materials, processes and research.



# Special Buy! While Quantities Last

- Hi-Vis polyester MESH
- Fit-all sizing with adjustable waist
- 5 Point tear-away design
- Meets CSA Z96-02 Class 2 Level 2
- StarTech premium reflective tape
- \*Ask Salesperson for pricing\*




Product. No.	Model No.	Colour
V1022350	6952	Hi-Viz Orange
V1022360	6953	Hi-Viz Yellow/Green

## ASK ABOUT OUR LARGE SELECTION OF SAFETY PRODUCTS

Lanyards. Safety Body Belts. Safety Harnesses. Anchorage Connectors. Vertical Lifelined & Rope Grabs



**High Performance Industrial Markers - Valve Action® Paint Markers**, 2.3 mm: a fast-drying liquid paint marker that provides long-lasting, wear & weather-resistant marks that are safe for almost any surface. As the most versatile liquid paint marker in the world, the xylene-free paint reduces user health risks, available in 18 bold & fluorescent colors for accurate mark identification.



**Hi-Viz Safety Tear-Away Vest**

**6927-O/S** Hi viz yellow/green  
**6926-O/S** Hi viz orange  
 Polyester mesh, CSA Z96-02 Class 2 Level 2, StarTech® reflective tape, 5 point tear-away, 4 storage pockets, Radiophone clip strap, D ring access slot, Drop shoulders

Part #	Collars
TGTC-1801	-
TGTC-1802	(1) 4"
TGTC-1803	(1) 6"

**18" Traffic Cone**, High Visibility Orange, PVC Construction, Temp: -20°C to +50°C, Wide Body Design, Black Rubber Base, Base: 10-5/8" x 10-5/8", Weight: 3 lbs.

**28" Traffic Cone** High Visibility Orange, PVC Construction, Temp: -20°C to +50°C, Wide Body Design, Black Rubber Base, Base: 14" x 14", Weight: 7 lbs.

Part #	Collars
TGTC-2801	-
TGTC-2802	(1) 4"
TGTC-2803	(1) 4" & (1) 6"



**Delineator Post TGTD-4513**

Collars: (2) 4", High Visibility Orange, Polyethylene Post, Height: 45", Black Rubber Octagon Base, 16.5" wide x 1.5" high, Weight: 13 lbs.





**Traffic STOP/SLOW Paddle 16" x 16" 455**

- Lightweight and durable aluminum octagonal bat
- Hi-luminance type III reflective
- Meets BC provincial requirements
- 12" handle with comfortable foam grip
- Stainless steel bolts
- 16" x 16" sign


**Wood Paddle Extension Pole 4.3' 2302H**

**SECURA100**

- 4'X100' SECURITY FENCE
- For pipeline construction, excavation & demolition sites



**TPOSTCAPORANGE**  
 Orange T-post Cap  
**TPOST**  
 6FT unpainted  
**TPOST7LSNP**  
 7FT unpainted



**PE Mesh Flag with Grommets 16" x 16" 367G**

Dowel sleeve, Folded over & sewn on all edges for durability

- CSFFS3** 3FT BUGGY WHIP
- CSFFS5** 5FT BUGGY WHIP
- CSFFS8** 8FT BUGGY WHIP
- CSFFS7006** SPRING MOUNT FOR BUGGY WHIP





# Firefighting

## Pulaski Axes



55001136  
**\$47.76**  
36" Ash Handle

55001036  
**\$47.76**  
36" Fiberglass  
Handle



**48" Ash Handle Firefighter's Shovel**

55000048 **\$14.93**



**Firefighter's Rake**

55002047 **\$44.78** 47-1/4" Handle



## Collapsible Water

**Pail** 16-18L capacity

55009216 **\$29.10**



## Back Pack Water Delivery

**Tanks** 55009005 **\$142.00**

Best fire distance: 2-8 Meters  
Farthest range: 13 Meters  
Water tank capacity: 20 kgs (5.28 gallons)  
Sprinkler: Straight Line



## Fire Hose

Single Jacket 250 PSI TP (125 PSI WP)

**SJM-150-FC5**

**\$94.45** 50 ft.

**SJM-150-FC1**

**\$158.25** 100 ft.

**Mont-Blanc™ Hard Hat** CSA Z94.1-15 TYPE 2 CLASS  
E AND ANSI Z89.1-2014 TYPE II CLASS E

Cap Style Hard Hat with HDPE Shell, 4-Point Nylon Suspension and "Sure-Lock" Ratchet Adjustment



Contact Red-L for custom personalization details

- HP542R/01 WHITE
- HP542R/02 YELLOW
- HP542R/04 DARK GREEN
- HP542R44 HI-VIZ YELLOW



**Dynamic™ EPB201**  
High Performance Faceshield Brackets



**Dynamic™ EP815/40**  
8" x 15.5" Universal Fit PETG Safety Visor 0.04" Thickness



**Mirage™ NP116** ea.  
Cap-Mounted Earmuff, NRR 23 dB



**Mirage™ NP120** ea.  
Neck-Mounted Earmuff, NRR 24 dB



**SuperTuff™ EP101** ea.  
Welding Shield with Fixed Front & Sure-Lock Ratchet Suspension - Polycarbonate Shade 10



**Dyna-Max™ NP106** /box (200 pairs)  
Disposable Earplugs - NRR 31 Disposable, Lime/Yellow, Uncorded, PU, 1 pair per cellophane bag

**HOWARD LEIGHT EAR PLUGS LL-1**

NRR 32dB, Polybag, 200 pair per box



**2" WATER TRANSFER PUMP POWEREASE 225 ENGINE**

**WP-2070S**

Fuel Capacity: 0.95 GAL (3.6L)  
Impeller: Cast Iron  
Suction Lift: 26'  
Total Lift: 82'  
Pump: Centrifugal Aluminum  
CC: 223  
GPM: 158



**3" WATER TRANSFER PUMP POWEREASE 225 ENGINE**

**WP-3070S**

Fuel Capacity: 0.95 GAL (3.6L)  
Impeller: Cast Iron  
Suction Lift: 26'  
Total Lift: 85'  
Pump: Centrifugal Aluminum  
CC: 223  
GPM: 264





**3" SEMI-TRASH TRANSFER PUMP WITH POWEREASE 225 ENGINE**

**TP-3070R .**

Fuel Capacity: 0.95 GAL (3.6L)  
 Impeller: HD Cast Iron  
 Solid Handling: Up to 1"  
 Suction Lift: 26'  
 Total Lift: 85'  
 Pump: Centrifugal Aluminum  
 CC: 223  
 GPM: 264



**2" WATER TRANSFER PUMP WITH HONDA GX200 ENGINE**

**WP-2065HL**

Fuel Capacity: 0.82 GAL (3.1L)  
 Impeller: Cast Iron  
 Suction Lift: 26'  
 Total Lift: 82'  
 Pump: Centrifugal Aluminum  
 CC: 196  
 GPM: 158

**We Carry Propane Hoses, Fittings & Accessories**



## REDWING FUEL OIL HOSE

*Custom lengths available & assemblies made to order*



*for transfer and delivery of fuel oil and petroleum products*

REDWING-FUEL-16 1" Bulk Hose, WP: 250 PSI /ft

REDWING-FUEL-20 1-1/4" Bulk Hose, WP: 250 PSI /ft

REDWING-FUEL-24 1-1/2" Bulk Hose, WP: 150 PSI /ft

## AGGIE GAS™ HOSE

*Custom lengths available & assemblies made to order*



*A multi-use type hose for dispensing gasoline, grease, kerosene and petroleum oils from farm and barrel type pumps. It is for agricultural, construction and industrial service where UL approval is not required.*

AGRI-12-REEL 3/4" Bulk Hose, WP: 50 PSI /ft

AGRI-16-REEL 1" Bulk Hose, WP: 50 PSI /ft

# Contact Red-L for your Filtration Solutions & Accessories



*We feature Baldwin Filters*




*Lube Filtration*

*Air Filtration*

*Fuel Filtration*

*Hydraulic Filtration*



*Cooling System Filtration*

*Cabin Air Filtration*

*DAHL Fuel/Water Separators*





## Pneumatic Couplings

### U-Series Automatic Universal Coupler

1/4" 2UF2-B brass (Female Threads)

### DF-Series Industrial Interchange Nipple

1/4" D2F2-B brass (Female Threads)

1/4" D2F2 steel (Female Threads)

### M-Series ARO Interchange Nipple

1/4" M2F2 steel (Female Threads)


### DF-Series Industrial Interchange Nipple

1/4" D2M2-B brass (Male Threads)

1/4" D2M2 steel (Male Threads)

### M-Series ARO Interchange Nipple

1/4" M2M2 steel (Male Threads)




02UF2-B



The Right Connection®



D2F2



M2F2



D2M2-B



M2M2

## 3/8" ID FRONTIER RED AIR/WATER HOSE ASSEMBLIES 250 PSI

custom lengths and end configurations available



ContiTech



BEST SELLER

GP-06X100FT-MP	3/8 IN X 100 FT AIR HOSE 3/8 MNPT ENDS
GP-06X20FT	3/8 IN X 20 FT AIR HOSE 3/8 MNPT ENDS
GP-06X25	3/8 IN X 25 FT AIR HOSE 1/4 MNPT ENDS
GP-06X25FT-QC	3/8 X 25 FT AIR HOSE 1/4 QC ENDS
GP-06X30	3/8 IN X 30 FT AIR HOSE 1/4 MNPT ENDS
GP-06X50	3/8 IN X 50 FT AIR HOSE 1/4 MNPT ENDS
GP-06X50-06MP	3/8 IN X 50 FT AIR HOSE 3/8 MNPT ENDS
GP-06X50-UDC	3/8 X 50 FT AIR HOSE 1/4 UDC COUPLERS
GP-06X75	3/8 IN X 75 FT AIR HOSE 1/4 MNPT ENDS

**Application:** An economical air and water hose, Frontier is for a wide range of industrial, construction and agricultural applications. Available in 200, 250, and 300 psi working pressures. **Tube:** EPDM synthetic rubber, RMA Class C (Limited Oil Resistance). **Cover:** Black, Red, Yellow, Green or Blue EPDM synthetic rubber Class C (Limited Oil). **Reinforcement:** Spiral synthetic yarn, 2" is braided. **Temperature Range:** -40°F to 190°F (-40°C to 88°C). **Branding:** Example: 1/2" Frontier Continental ContiTech 300 psi WP.

## Continental F5 bulk Air Hose

F5-AIR-04 1/4"

F5-AIR-06 3/8"

F5-AIR-08 1/2"

F5-AIR-12 3/4"



Blue, F5 Air hose assemblies (c/w MNPT ends)  
custom assemblies available

F5-AIR-04X100FT-MP 1/4" X 100' (1/4")

F5-AIR-06X100FT-MP 3/8" X 100' (3/8")

F5-AIR-06X50FT 3/8" X 50' (1/4")



## CoxReels® with Continental Rubber Air Hose 21098545

Continental Professional-Grade Rubber  
3/8" x 50' 250 PSI WP hose

## CoxReels® with Continental Hybrid Air Hose 21098546

Continental Professional-Grade Hybrid  
3/8" x 50' 250 PSI WP hose



# WATER HOSE & ACCESSORIES



## Red PVC Discharge Hose Assemblies

50 ft. length PVC c/w Male X Female Cams

- RED-PVC-WD-24X50-BUCH 1-1/2"
- RED-PVC-WD-32X50-BUCH 2"
- RED-PVC-WD-48X50-BUCH 3"
- RED-PVC-WD-64X50-BUCH 4"



## Rubber Water Suction Assemblies

20 ft. water suction hose c/w MxF Cams Crimp

- WSB-200-20CXE-C 2"
- WSB-300-20CXE-C 3"
- WSB-400-20CXE-C 4"
- WSB-600-20CXE-C 6"



## PVC Water Suction Assemblies

20 ft. long White Helix PVC c/w Male X Female Cams

- SPIRALITE-115-24X20-CXKC 1-1/2"
- SPIRALITE-115-32X20-CXKC 2"
- SPIRALITE-115-48X20-CXKC 3"
- SPIRALITE-115-64X20-CXKC 4"




## Round Hole Strainers

- RHS200 2"
- RHS300 3"
- RHS400 4"
- RHS600 6"




## Garden Hose Assemblies 5/8"X50' GH-10X50-

- GREEN Yardmaster Green
- GH-10X50-BLACK Commercial Black
- GH-10X50-RED Premium Red **Hot Water** Hose



**DGH-7P**  
MALE GHT QUICK  
COUPLER HALF



**DGH-7C**  
FEMALE GHT QUICK  
COUPLER HALF



**GHN6**  
6 way spray garden  
hose nozzle



**571TFR**  
Gilmour insulated  
garden hose nozzle



## DURAFLEX RUBBER LAYFLAT HOSE

Application : Specifically manufactured to compete with OROFLEX imitation hose. This is a lightweight high pressure, extremely strong hose for general water discharge service. Ideal for rental service where long life and competitive pricing is paramount. Its compact characteristics make this an ideal hose for use with portable pumps. Especially suited for pumping oily contaminated water. Cover: Black abrasion, weather & oil resistant nitrile rubber. Reinforcement: Circular woven synthetic yarns. Tube: Black abrasion and oil resistant nitrile rubber. Temp: -20C to +80C(0F to +180F)

- /ft DURAFLEX-48 3" bulk hose
- /ft DURAFLEX-64 4" bulk hose
- /ft DURAFLEX-96 6" bulk hose

Assemblies 50 ft. length c/w Male X Female Cams Crimp

- DUR-200CR-2X50FT-C 2"
- DUR-300CR-3X50FT-C 3"
- DUR-400CR-4X50FT-C 4"



## BLUE LAYFLAT ASSEMBLIES 50' Blue layflat with globally sourced C&E camlocks custom

lengths available & made to order

- PVC-WD-24X50-BUCH 1-1/2"
- PVC-WD-32X50-BUCH 2"
- PVC-WD-48X50-BUCH 3"
- PVC-WD-64X50-BUCH 4"
- PVC-WD-96X50-BUCH 6"



# PRESSURE WASH HOSE



## Pressure Wash Hose - Superwash 4000

3/8" Reduced Dimension Pressure Washer Hose. Tube: Black nitrile synthetic rubber, Reinforcement: Single braid steel wire. Cover: Smooth Blue oil-resistant synthetic rubber, RMA Class B (medium/high oil resistance). WP: 4,000 psi maximum. BP: 12,000 psi minimum. 3/8" Pressure Washer Hose Assemblies c/w 3/8" NPT MPXMP, or MPXMS & bend restrictors.

<b>SUPERWASH-4000-06</b>	3/8" bulk hose, 100' coil
<b>SUPERWASH-4000-06X50FT-SWV</b>	3/8" x 50' Coupled MS
<b>SUPERWASH-4000-06X75FT-SW</b>	3/8" x 75' Coupled MS
<b>SUPERWASH-4000-06X100FT-SWV</b>	3/8" x 100' Coupled MS



## Pressure Wash Hose - Blue Neptune

For use on pressure washers with working pressures up to 3000 psi. Tube: Black Nitrile (RMA Class B Oil Resistance). Reinforcement: Single Steel Braid. Cover: Blue Nitrile (RMA Class B Oil Resistance). Temperature Range: -20°F to 250°F (-29°C to 121°C). Branding: Continental ContiTech Neptune™ 3000, ID WP, Made in U.S.A. Assemblies include NPT MPXMP, or MPXMS & bend restrictors

<b>NEPTUNE-3000-06</b>	3/8" bulk hose, 100' coil
<b>NEPTUNE-3000-06X50FT-MP</b>	3/8" x 50' Coupled MP
<b>NEPTUNE-3000-06X75FT-SWV</b>	3/8" x 75' Coupled MS
<b>NEPTUNE-3000-06X100FT MPXSP</b>	3/8" x 100' Coupled MPXMS



## Pressure Wash Hose - Neptune™ 4500

For use on pressure washer machines with working pressures up to 4500 psi. Tube: Nitrile synthetic rubber Cover: Black or Blue oil-resistant synthetic rubber, RMA Class B (Medium Oil Resistance). Reinforcement: Braided (2) steel wires, Temp: -20°F to 250°F (-29°C to 121°C). Branding: Neptune™ 4500 3/8" 4500 psi WP. Made in U.S.A. Couplings: Use Continental ContiTech pressure washing fittings with this product. Custom coupled lengths with MxMS fittings and Kink Guards available.

<b>NEPTUNE-4500-06</b>	3/8" bulk hose, 100' coil
<b>NEPTUNE-4500-06X50FT</b>	3/8" x 50' Coupled MPXMS
<b>NEPTUNE-4500-06X75FT-SPXSP</b>	3/8" x 75' Coupled MS
<b>NEPTUNE-4500-06X100FT-SWV</b>	3/8" x 100' Coupled MS



## Pressure Wash & Steam Hose - Whitewater®

For use on either steam cleaner machines or combination steam cleaner/pressure washer machines. Handles hot water at 325°F (163°C) and 350 psi for Steam Cleaning Service, handles hot water at 250°F (121°C) and 3000 psi, (2500 psi on 1/2") for Pressure Washer Service. 3/8" Pressure Washer Hose Assemblies c/w 3/8" NPT MPXMP & bend restrictors. Tube Pyrosyn® synthetic rubber, Cover Black and Red Hysunite™ synthetic rubber, RMA Class B (Medium Oil Resistance), Reinforcement Braided (1) steel wire.

<b>WHITEWATER-06</b>	3/8" bulk hose, 100' coil
<b>WHITEWATER-06X25FT-MP</b>	3/8" x 25' Coupled MP
<b>WHITEWATER-06X50FT-MP</b>	3/8" x 50' Coupled MP
<b>WHITEWATER-06X75FT-MP</b>	3/8" x 75' Coupled MP
<b>WHITEWATER-06X100FT-MP</b>	3/8" x 100' Coupled MP











## Standard LF Pressure Gauges

<b>25L-4LM-0200</b>	2-1/2 IN 1/4 BM 0-200 PSI
<b>25L-4LM-0300</b>	2-1/2 IN 1/4 BM 0-300 PSI
<b>25L-4LM-0400</b>	2-1/2 IN 1/4 BM 0-400 PSI
<b>25L-4LM-0600</b>	2-1/2 IN 1/4 BM 0-600 PSI
<b>25L-4LM-5000</b>	2-1/2 IN 1/4 BM 0-5000 PSI




### 1/4" SPRAY NOZZLES MNPT & QUICK CONNECTS

							
0°	0°	15°	15°	25°	25°	40°	40°
<b>PART #</b>	<b>PART #</b>	<b>PART #</b>	<b>PART #</b>	<b>PART #</b>	<b>PART #</b>	<b>PART #</b>	<b>PART #</b>
85.200.050	85.201.035BEP	85.215.050	85.216.035BEP	85.225.050	85.226.035BEP	85.240.050	85.241.035BEP
85.200.070	85.201.040BEP	85.215.070	85.216.040BEP	85.225.100	85.226.040BEP	85.240.080	85.241.040BEP
85.200.100						85.240.300	



### Pressure Wash Guns & Wands

85.202.109	Industrial pressure wash gun 5000PSI
85.202.109BEP	Industrial Rear spray gun 5000PSI
85.202.024	24" straight pressure wash wand 4000PSI
85.202.026	36" straight pressure wash wand 4000PSI
85.202.027	47" straight pressure wash wand 4000PSI
85.205.026	36" gun & wand set 4000PSI
85.202.028	59" straight pressure wash wand 4000PSI
85.202.029	79" straight pressure wash wand 4000PSI
85.205.024ALSHD	24 foot aluminum telescoping wash wand 4000 PSI



### 1/4" Sewer Tips (Crawler Nozzles)

- HTEC-211-4.5 4.5 gpm sewer tip
- HTEC-211-6.5 6.5 gpm sewer tip
- HTEC-211-11 11 gpm sewer tip



### Straight Thru Quick-Connect Fittings



#### Female Couplers Brass

- 2EF2-B 1/4" 4500 psi
- 3EF3-B 3/8" 2700 psi
- 4EF4-B 1/2" 2500 psi



#### Male NPT Couplers Brass

- 2EM2-B 1/4" 4500 psi
- 3EM3-B 3/8" 2700 psi
- 4EM4-B 1/2" 2500 psi



#### Female Plugs Brass

- E2F2-B 1/4" 4500 psi
- E3F3-B 3/8" 2700 psi
- E4F4-B 1/2" 2200 psi



#### Male Plugs Brass

- E2M2-B 1/4" 4500 psi
- E3M3-B 3/8" 2700 psi
- E4M4-B 1/2" 2200 psi

### VRT3 Unloader

#### AL607EZ

VRT3 Unloader with Easy Start, Inlet: 3/8" MNPT, Outlet: 3/8" MNPT, Bypass: 3/8" FNPT, 4500 PSI, 8.0 GPM, 194 Degree F Temperature, Brass



**Rotary Nozzle**, Includes Inline Filter, 040 Orifice  
85.210.011 5000 psi





### H-Series Hydraulic Couplings

Interchangeable to ISO7241 Series 'B', Parker 60-Series, Snap-Tite 72 Series, Hansen HK Series, Faster Series 'HNV', Aeroquip/Eaton FD45, Stucchi Series IRB/IRBO/IRBX



Size	Coupler	Size	Nipple
1/4"	2HF2-C	1/4"	H2F2-C
3/8"	3HF3-C	3/8"	H3F3-C
1/2"	4HF4-C	1/2"	H4F4-C
3/4"	6HF6-C	3/4"	H6F6-C
1"	8HF8-C	1"	H8F8-C

### HT-Series Flushface Couplings

Interchangeable to ISO16028, Conforms to ISO16028 interchange standard interchangeable with Eaton/Hansen FF, Parker FEM, Snap-tite 74, Faster FFH/2FFN/2FFI, Stucchi A/FIRG and Holmbury HQ/A/FIMC




Size	Coupler	Size	Nipple
1/4"	2HTF2	1/4"	HT2F2
3/8"	3HTF3	3/8"	HT3F3
1/2"	4HTF4	1/2"	HT4F4
3/4"	6HTF6	3/4"	HT6F6
1"	8HTF8	1"	HT8F8

### W-Series Hydraulic Couplings

Aeroquip 5100-Series, Parker 6100-Series, Snap-Tite 78-Series, Faster Series-FB, Safety S51-Series Interchangeable



Size	Coupler	Size	Nipple
1/2"	6WF4-B	1/2"	W6F4-B
3/4"	6WF6-B	3/4"	W6F6-B
1"	8WF8-B	1"	W8F8-B
1-1/4"	10WF10-B	1-1/4"	W10F10-B
1-1/2"	12WF12-B	1-1/2"	W12F12-B



# Continental


ELITE DISTRIBUTOR

## DID YOU KNOW...

Red-L Distributors is one of the only 3 Elite Distributors in Canada and 30 throughout North America!

The Continental Hose Division has developed a Distributor Program recognizing their top distributors throughout North America. This program is called Elite and signifies the strong partnership that the distributor and Continental have to grow the markets we serve with the best brands.

***Red-L Fort McMurray***  
***is now offering High Pressure***  
***Testing up to 15,000psi, locally***





**Screw Type Quick Disconnects (no check valve) - Stainless Steel**



- QDC-06-SET \$ 200.76**  
SCREW TOGETHER QD X 3/8 FNPT SS 15K
- QDC-08-SET \$ 210.57**  
SCREW TOGETHER QD X 1/2 FNPT SS 15K
- QDC-12-SET \$ 353.41**  
SCREW TOGETHER QD X 3/4 FNPT SS 15K

# Rubber Waterblast Special



Assembly shown with Quick Disconnect



Dunlop Hiflex high performance rubber waterblast assemblies, featuring flexibility, durability & lightweight.

- WB-10000-06X50-RB \$ 379.93**  
3/8 WB HOSE 50FT 10K C/W 3/8 NPT E/E
- WB-10000-12X50-RB \$ 622.37**  
3/4 WB HOSE 50FT 10K C/W 3/4 NPT E/E
- WB-14500-12X50-RB \$ 1,012.47**  
3/4 WB HOSE 50FT 14.5K C/W 3/4 NPT E/E

*Waterblast hose assemblies c/w 99 series waterblast ferrules & MNPT inserts*

**RYCO** Ryco High Pressure Shockwave Waterblast Hose

- SW16008X50FT \$ 716.41**  
1/2" WATERBLAST 50FT C/W 1/2" MNPT E/E
- SW10016X50FT \$ 864.57**  
1IN X 50FT 10K WATERBLAST 1IN MNPT
- SW10016X100FT \$1,614.57**  
1IN WATERBLAST 100FT C/W 1IN MNPT E/E



YELLOW - 10,000psi  
GREEN - 15,000psi

# ***Red-L Edmonton Southside Offers Ultra High Pressure Testing up to 60,000psi***



Call your local Red-L branch or salesperson for more information

Edmonton Southside - 9755 47 Avenue, Edmonton, AB T6M 5M7  
P: 780.431.8643 redlsouth@redl.com



# PUMPS & TRANSFER PUMPS



OUTPERFORM. OUTLAST.

Contact Red-L for all your Bowie pumps, parts & repairs.



### Signature Series

2300  
3300  
3390  
4300ED  
4390-STD-ED

### Description

2" port; buna-N nitrile rubber gears  
3" port; buna-N nitrile rubber gears  
3" port; 90° configuration  
4" port; extended duty, buna-N nitrile rubber gears  
4" port; 90° configuration, extended duty, buna-N nitrile rubber gears



### Eco-Seal Series

2300ECO  
3300ECO  
3300ECOED  
3300ECOEDHC  
4300ECOED  
4300ECOEDHC

2" port; buna-N nitrile rubber gears  
3" port; buna-N nitrile rubber gears  
3" port; extended duty, buna-N nitrile rubber gears  
3" port; extended duty, helical steel gears  
4" port; extended duty, buna-N nitrile rubber gears  
4" port; extended duty, helical steel gears



### Dura-Seal Series

2700  
3700  
3790  
4700  
4790  
2700HC  
3700HC  
4700HC

2" port; buna-N nitrile rubber gears  
3" port; buna-N nitrile rubber gears  
3" port; 90° configuration; buna-N nitrile rubber gears  
4" port; buna-N nitrile rubber gears  
4" port; 90° configuration, buna-N nitrile rubber gears  
2" port; helical steel gears  
3" port; helical steel gears  
4" port; helical steel gears



### Ultra-Seal Series

2600  
3600  
3690  
4600  
4690  
3600HC  
4600HC

2" port; buna-N nitrile rubber gears  
3" port; buna-N nitrile rubber gears  
3" port; 90° configuration; buna-N nitrile rubber gears  
4" port; buna-N nitrile rubber gears  
4" port; 90° configuration, buna-N nitrile rubber gears  
3" port; helical steel gears  
4" port; helical steel gears



### XP Series

2400OB  
3400OB

2" port; buna-N nitrile rubber gears  
3" port; buna-N nitrile rubber gears



# BATTERY POWERED FUEL TRANSFER PUMP

PART #20042

Model TRFA01



Auto-Stop + Leak Protection

3 Different Size Adaptors



Flexible Intake Hose

Introducing the Docap TeraPump #20042, the world's first battery powered fuel transfer pump with auto-stop and leak protection. The Docap TeraPump #20042 eliminates the lifting of large heavy gas cans and spilling wasted fuel. Our exclusive design makes transferring fuel to lawn mowers, tractors, cars, boats, leaf blowers and more, painless and hassle free.



Pumps 11 LITERS p/min



Simple POWER BUTTONS



Uses 4 AA BATTERIES

COMPATIBLE LIQUIDS Gas Diesel Kerosene Light Oil

## ALSO AVAILABLE

### BATTERY POWERED TRANSFER PUMP

PART #20044

The Docap TeraPump #20044 is a battery fuel transfer pump which effortlessly transfers fuel to cars, boats, mowers, and many more! Portable and lightweight, the #20044 is great for small, quick refueling jobs. Perfect for the garage, shop, basement and yard.

#### Features

- Model TRHA01
- Applicable liquids: Gasoline, diesel, kerosene
- Pumps 2.5 gallons per minute
- Portable and lightweight
- Requires 2AA batteries (not included)




### BATTERY POWERED TRANSFER PUMP

PART # 20043-DOCAP

The Docap TeraPump #20043 is a battery powered fuel transfer pump for use in the garage, field, garden or shop. With 2D batteries, the #20043 can discharge liquids up to 2.4 gallons per minute saving time and energy for quick refueling jobs.

#### Features

- Model TREP01
- Applicable liquids: Gasoline, diesel, water, kerosene, light oils
- Pumps 2.4 gallons per minute
- Discharge hose of 3.25'
- Requires 2 D batteries (not included)







**GPI LP-50 Lever Action Hand Pump 129000-1**

Works with drums up to 36 in. deep For Use with: Water, Anti-freeze, Diesel Fuel, Petroleum Based Products, Mild Detergents, Lubricants and most Agricultural Chemicals. Not for use with kerosene, Roundup® Concentrate or Flammable Fluids. 2" tank fitting, Suction Pipe Telescoping to 36"



**110000-100 M-150S-AU GPI PUMP**

Designed for agriculture, automotive and construction applications for gas, diesel & kerosene.



- Factory-installed power cord
- 15 GPM flowrate, empties 100 gallon tanks in about 7 minutes
- Models with spin collar design offer easy installation
- Extremely long life and trouble-free operation
- Cast aluminum construction
- Low profile design
- Circuit breaker motor protection

**M-150S SPECIFICATIONS**

Flowrate (GPM / LPM)	15 / 57
Type	Rotary Gear
Duty Cycle (On / Off)	30 min. / 30 min.
Voltage	12-volt DC / 24-volt DC
Power Cord	18 ft. (5.5 m) 12/2 AWG
Inlet / Outlet Size	1 in. / 3/4 in. NPT
Dispensing Hose	12 ft. (3.7 m) x 3/4 in. OR 10 ft. (3 m) 3/4 in.
Suction Pipe	Telescoping 15 in. to 40 in.
Warranty	2 Year Pump
Certifications	UL Listed Motor



**NEW Ultimate Grease Coupler UC-2020**  
Does not leak, Easy to connect & disconnect, up to 15,000 PSI  
**HD Grease Coupler UC-2121-DOC**



**SECUR-FLO, Automatic Transfer Pump Nozzle**

is designed for refueling OFF-ROAD equipment and farm implements. Sand cast aluminum, Viton & Nitrile Seals, Spout 15/16", 1" NPT LEADED  
**NOTE: This nozzle CANNOT be used for gravity feed tanks or retail dispensing**

**CATLOW-N1ALF-Y**



**ELITE, Automatic Nozzle 3/4" NPT**

Sand cast aluminum, Lever/Handguard Nylon, Viton Seals, Unleaded Spout 13/16", Leaded Spout 15/16", UL/ULC Listed. Shown with optional Splash Shield.

**CATLOW-NENL UNLEADED**



**MAX1, Automatic Standard DIESEL Nozzle**

Sand cast Aluminum, Lever/Handguard Nylon, Viton Seals, 1-3/16" Spout, UL/ULC Listed

**CATLOW-NM1-Y**

DIESEL, yellow, Inlet 1" NPT

**CATLOW-NM1P**

DIESEL, prepay, Inlet 1" NPT

**CATLOW-NM1P-AD**

DIESEL, prepay, Inlet 1" NPT, Black




**The Twister Swivel**

**CATLOW-C720 3/4**

3/4"M x 3/4"F

**CATLOW-C720 1X1**

1"M x 1"F



**Single Plane Hose Swivel MXF NPT 150 PSI**

Aluminum, F-7036 Viton™ Seal

**DAWS10 1"**



**HD MXF NPT Hose Swivel**

150 PSI, Bayloy, Buna / PTFE Seal


**SWMF125 1-1/4"**

**SWMF150 1-1/2"**


**SWMF200 2"**

# AIR BRAKE FITTINGS

## Coupler Assembly with Spring Guard (NUT, SLEEVE, COUPLER & SPRING)




## Coupler Assembly (NUT, SLEEVE & COUPLER)




Part No.	Hose ID	MNPT
1492-6D	3/8	1/2
1492-8C	1/2	3/8

## Glad Hands *standard*




Part	Type	Color
GHU	Universal	Plain
GHE	Emergency	Red
GHS	Service	Blue


## Hose Splicer



## Nut with Spring (NUT, SLEEVE & COUPLER)



Part No.	Hose ID
1494-6	3/8
1494-8	1/2




## Air Brake Tube

Air brake tube is designed for use with truck, trailer and other mobile air brake and auxiliary systems. This lightweight, flexible and UV stabilized tube is highly resistant to abrasion, oil, grease and road salt.

- Colors:** Black, Blue, Green, Orange, Red, Yellow.  
Other colors on request. Minimum runs may apply.
- Temp:** -85°F to +200°F, -65°C to +93°C
- Packaging:** Reels, Coils -50, -100
- Fittings:** 1400 or PC1400 Series Available  
800 Series (Air-Shift Transmission Fittings)
- Meets/exceeds:** D.O.T. F.M.V.S.S. 106  
S.A.E. J844 TEST REQUIREMENTS
- Note:** 1/8 does not comply with F.M.V.S.S. 106  
S.A.E. does not recognize 5/32 O.D. for airbrake systems.

Part No.	Desc.
<b>C606</b>	DOT NYLON AB TUBING -3/8OD - BLACK
<b>C606-BLUE</b>	DOT NYLON AB TUBING -3/8OD - BLUE
<b>C606-GREEN</b>	DOT NYLON AB TUBING -3/8OD - GREEN
<b>C606-ORANGE</b>	DOT NYLON AB TUBING -3/8OD - ORANGE
<b>C606-RED</b>	DOT NYLON AB TUBING -3/8OD - RED
<b>C606-YELLOW</b>	DOT NYLON AB TUBING -3/8OD - YELLOW
<b>C608</b>	DOT NYLON AB TUBING -1/2OD - BLACK
<b>C608-BLUE</b>	DOT NYLON AB TUBING -1/2OD - BLUE
<b>C608-GREEN</b>	AIR BRAKE HYTRON TUBING 1/2OD - GREEN
<b>C608-ORANGE</b>	DOT NYLON AB TUBING -1/2OD - ORANGE
<b>C608-RED</b>	DOT NYLON AB TUBING -1/2OD - RED
<b>C608-YELLOW</b>	DOT NYLON AB TUBING -1/2OD - YELLOW

## HAB Hose & Assemblies



Part No.	Desc.
<b>Y106-REEL</b>	3/8IN DOT TYPE A AIR BRAKE HOSE -40F
<b>Y106-REEL-ARCTIC</b>	3/8IN DOT TYPE A ARCTIC AIR BRAKE -65F
<b>HAB-6-50P</b>	3/8 RUBBER AIR BRAKE HOSE
<b>Y108-REEL</b>	1/2IN DOT TYPE A AIR BRAKE HOSE -40F
<b>HAB-8-50P</b>	1/2 RUBBER AIR BRAKE HOSE

Rubber air brake hose is for use in truck and trailer air brake systems. It is certified to meet S.A.E. J1402 and D.O.T. F.M.V.S.S. 106 requirements. This air brake hose features a synthetic rubber oil-resistant tube and cover which is reinforced with synthetic cord for high performance strength.

**MEETS – D.O.T. F.M.V.S.S. 106 HAB-6:** MEETS TABLE AI AND TABLE AII **HAB-8:** MEETS TABLE A

**Temp:** -40°F to +200°F, -40°C to +93°C. **Packaging:** Reels, 50 Ft. Dispenser Carton (-50P) **Color:** Standard HAB color is Black. Red & Blue available in -6 only.

**Assemblies available contact Red-L for pricing. sales@redl.com 780-437-2630 www.redl.com**



**PART No. ABFR-KIT-HAB**

Designed for use in the field, this kit includes a selection of items to complete many temporary air brake hose repairs. **Single sided carry case, with handle.**

**D.O.T. Air Brake Hose Repair Kit Selection:**

PART No.	Qty	PART No.	Qty
HAB-6-CUT	16 In.	1492SW-8	1
HAB-8-CUT	16 In.	4134-6B	2
110-CB	2	4134-6C	2
110-DC	2	4134-8C-WH	2
121-M8	1	4134-8D-WH	2
1492-6S	1	TK-1	1
1492-8S	1	ABFR-BOX-1	1
1492SW-6	1		

**Overall:**  
 Height 12 inches  
 Width 14-1/2 inches  
 Depth 2-3/8 inches



**PART No. ABFR-KIT-1 (AIR BRAKE SERVICE KIT - SELECTION 1)**

Designed for use in the field or shop, this kit includes a selection of items to complete many general repairs. Single sided carry case, with handle.

**D.O.T. Air Brake Fittings; Service Kit Selection:**

PART No.	Description	Qty.	PART No.	Description	Qty.
121-M8	Thread sealant	1	1468-6B	Connector tube-mp 3/8-1/4	2
1460-4	Air brake sleeve 1/4	5	1468-8C	Connector tube-mp 1/2-3/8	1
1460-6	Air brake sleeve 3/8	5	1469-4B	Elbow tube-mp 1/4-1/4	2
1460-8	Air brake sleeve 1/2	5	1469-6B	Elbow tube-mp 3/8-1/4	2
1461-4	Air brake nut 1/4	2	1481-4	Air brake insert 1/4	5
1461-6	Air brake nut 3/8	2	1481-6	Air brake insert 3/8	5
1461-8	Air brake nut 1/2	2	1490-6	Air brake sleeve 3/8	6
1462-4	Air brake union 1/4	2	1491-6	Air brake nut 3/8	4
1462-6	Air brake union 3/8	2	1494-6	Nut with spring guard 3/8	2
1462-8	Air brake union 1/2	1	1495B-C	Brass terminal bolt 3/8	1
1468-4A	Connector tube-mp 1/4-1/8	2	B1492-6C	Hose end body 3/8	4
1468-4B	Connector tube-mp 1/4-1/4	2	B1492-6S	Hose splicer body 3/8	1
			ABFR-BOX-1		1



**Kit Dimensions**

Height: 12.0 In.  
 Width: 14.5 In.  
 Depth: 2.375 In.



**PART No. ABFR-KIT-2 (AIR BRAKE SERVICE KIT - SELECTION 2)**

Designed for use in the field or shop, this kit includes a large selection of items to complete most general repairs in a double sided carry case, with handle.

**D.O.T. Air Brake & Pipe; Service Kit Selection:**

PART No.	Desc.	Qty.	PART No.	Desc.	Qty.	PART No.	Desc.	Qty.	PART No.	Desc.	Qty.
103-A	Coupling 1/8 pipe	2	122-B	Hex nipple 1/4 pipe	3	1462-4	DOT union 1/4	2	1469-6B	DOT elbow 3/8-1/4	2
103-B	Coupling 1/4 pipe	2	122-C	Hex nipple 3/8 pipe	2	1462-6	DOT union 3/8	2	1469-6C	DOT elbow 3/8-3/8	2
103-C	Coupling 3/8 pipe	2	122-D	Hex nipple 1/2 pipe	2	1462-8	DOT union 1/2	2	1469-8C	DOT elbow 1/2-3/8	2
103-D	Coupling 1/2 pipe	1	1460-4	DOT sleeve 1/4	3	1462-10	DOT union 5/8	1	1481-4	Tube insert 1/4	3
110-BA	Bushing 1/4-1/8	3	1460-6	DOT sleeve 3/8	3	1468-4A	Tube-mp 1/4-1/8	2	1481-6	Tube insert 3/8	3
110-CB	Bushing 3/8-1/4	2	1460-8	DOT sleeve 1/2	3	1468-4B	Tube-mp 1/4-1/4	2	1481-8	Tube insert 1/2	3
110-DC	Bushing 1/2-3/8	2	1460-10	DOT sleeve 5/8	2	1468-6B	Tube-mp 3/8-1/4	2	1481-10	Tube insert 5/8	3
121-B	Plug hex 1/4 pipe	3	1461-4	DOT nut 1/4	3	1468-6C	Tube-mp 3/8-3/8	2	X115-B	Extruded elbow 1/4	2
121-C	Plug hex 3/8 pipe	2	1461-6	DOT nut 3/8	3	1468-8C	Tube-mp 1/2-3/8	2	X115-C	Extruded elbow 3/8	2
121-D	Plug hex 1/2 pipe	2	1461-8	DOT nut 1/2	3	1469-4A	DOT elbow 1/4-1/8	2	ABFR-BOX-2		1
121-M8	Sealant	2	1461-10	DOT nut 5/8	2	1469-4B	DOT elbow 1/4-1/4	2			




**Kit Dimensions**

Height: 9.75 In.  
 Width: 14.0 In.  
 Depth: 4.0 In.



# PLACARDS



# ESSENTIALS



**Joe's All-Purpose Hand Cleaner**

101-P /4 lb. 5 oz. Plastic Can

101-P /Can, case of 6 price

105 /14 oz. Plastic Squeeze Tube

105 /Tube, case of 12 price



**ALL SEASON  
WASHER-FLUID  
-35 WINDSHIELD WASHER FLUID**



**SUMMER WASHER FLUID  
BUGWASH-FLUID jug or 4/case  
SUMMER WASHER FLUID CONCENTRATE  
BUGWASH-MIX-CONCEN**  
jug or case of 4



# STRAPS & TIE-DOWNS




Ratchet Strap w/ Flat Hooks  
 45982-10 2" x 27'  
 45982-11 2" x 30'



Ratchet Strap w/ 43366-21 Chain Anchors. Fixed End 33"  
 45982-15 2" x 27'  
 45982-34 2" x 30'



Ratchet Strap w/ 43120-13 Wire Hooks  
 45982-42 2" x 27'  
 45982-43 2" x 30'



ANCRA X-TREME Ratchet Strap w/ 40891-18 Flat Hooks  
 45982-90-27 2" x 27'  
 45982-90-30 2" x 30'



ANCRA X-TREME Ratchet Strap w/ 43366-21 Chain Anchors. Fixed End 33"  
 45982-93-30 2" x 30'



Ratchet Strap w/ 43366-14 Chain Anchors. Fixed End 33"  
 48987-24 3" x 27'



Ratchet Strap w/ 41766-18 Flat Hooks  
 49346-11 4" x 30'



ANCRA X-TREME Ratchet Strap w/ 41766-18 Flat Hooks. Fixed End 20"  
 49346-90-30 4" x 30'



58527  
 2" x 27' 10,000 lb. Ratchet  
 Strap w/ Flat Hooks



1.25" x 8' Motorsports Ratchet Tie-Downs, 2 Pack  
 XR108-2P 1.25" x 8'



Commercial Grade Ratchet Tie-Downs, 4 Pack  
 XR015-4P 1" x 15'



Commercial Grade Ratchet Tie-Down, Camo Web, Single Pack  
 XR015-C1P 1" x 15'



Commercial Grade Ratchet Tie-Down, Camo Web, 2 Pack  
 XR115-C2P 1.25" x 15'



**LT-35**

Vertical Hand Tool Rack mounts to your open style trailer and stores up to six straight-handled tools (not included). Tools are stored upright and off the trailer bed so you stay organized and clutter-free.



**LT-12**

Trimmer Rack mounts to any enclosed trailer and holds up to three trimmers, keeping your trailer organized and clutter-free. Rack mounts to the inside walls of trailers, sheds, and garages, ensuring your trailer bed stays clear and your trimmers are easy to reach.



**LT-13**

Lockable Trimmer Rack mounts to any open style trailer and holds up to three trimmers, keeping your trailer organized and clutter-free.



**85104**

Kabgard Window Protector 69x23.5 Inch with Standard Mount Buyers Products Kabgard™ Window Protector shields your cab's rear window from damage and provides a mounting surface for lights and other accessories. The protector clamps onto your vehicle for quick, no-drill installation. Available in two sizes




**LT-15**

Multi-Rack for Open/Enclosed Landscape Trailers Multi-Rack for Trailers mounts to any style trailer and adjusts to hold a variety of equipment.

**Shovels & Tool Racks**

**81768-GARANT**

Garant Pro Series square shovel, long wood handle 62" long x 10" wide



**80423**

Square shovel, long wood handle 55" long x 9.5" wide



**80419**

Round point shovel, long wood handle 55" long x 8" wide



**80377**

Garant Pro Series round shovel, long wood handle 61" long x 9" wide



pkg of 3  
**81183**

Garant Pro Series drain spade 45.5" long x 6" wide







**DWE43116**

**4-1/2" - 6" High Performance Grinder w/ Trigger Grip**  
is powered by a 13 Amp motor and equipped with the Dust Ejection System™ technology designed to protect the tool from damaging dust and debris that enters through air intake vents.




**66272-DYN**  
Pull Pin 5/8,  
3-1/2" Length



**MGNWG800**  
MAGNETIC WELDING  
GROUND 800 AMP

**700115 Combination Wrench Set Chrome Vanadium Raised Panel SAE 11PC**  
• made with industrial quality S.A.E. 6140 Chrome Vanadium steel (up to 1-1/4" or 32mm sizes)  
• All wrenches feature TORQUE DRIVE® box ends for increased torque  
• Wrench size stamped on head  
• Sets are supplied with industrial strength terylene pouches (\* except 700201, 700125, 700128)  
• All sets meet and ANSI specifications



**600230 21 PC 3/8" DR SAE Socket Wrench Set - 12 Point Standard Accessories:**  
• 48 tooth 8" quick release oval head ratchet (671926)  
• 3" (671905) and 6" (671907) extensions  
• 8" flex handle (671902)  
• 1-7/8" universal joint (671910)  
• Blow mould case with removable lid



**HAND & POWER TOOLS**



**730272 7-1/2" Pliers**  
Diagonal Cutting - Super Heavy Duty



**D210-6C 6"**  
Diagonal Cutting Pliers, semi-flush



**711115 Adjustable Wrench Chrome Vanadium - 12" Length**



**Twisted Polypropylene Rope**  
**A1PJ/014**  
1/4" X 1,300' (6.4 MM X 396 M)  
Resistance 1,120 LBS (508 KG)



**DYNALINE**  
**Dynaliner Carabiner**  
with Magnet **66700**  
1-1/4" Base Diameter X 0.75"


**775156**  
Hex Key Set Chrome Vanadium Folding, Metric 7PC  
TORX® is a registered trademark of Acument Intellectual Properties, LLC.



**88001 SIXPAC**



**15-In-1 MegaPro® 151NAS**  
includes: #0, #1, #2, #3 Phillips, #0, #1, #2, #3 Square, #10, #15, #20, #25 Star, #4, #6 Slotted Bit, 1/4 in Hex Shaft



- TGTM-001 16'X3/4" TAPE MEASURE IMP
- TGTM-002 16'X3/4" 5MX19MM T.M. IMP&MET
- TGTM-003 25' X 1" TAPE MEASURE IMP
- TGTM-004 25' X 1" 7.5MX25MM TM IMP&MET
- TGTM-005 16'X3/4" T.M. W/MAG TIP IMP
- TGTM-006 16'X3/4" IMP&MET TM W/MAG TIP
- TGTM-007 25' X 1" T.M. W/MAG TIP IMP
- TGTM-008 25' X 1" IMP&MET TM W/MAGTP

1-800-252-9390



780-437-2630



Nothing but **HEAVY DUTY.**

### M18 FUEL

#### 16" Chainsaw Kit

2727-21HD (2727-20 Tool-Only)


##### Specifications:

Bar Length	16"
Chain Gauge	.043"
Chain Pitch	3/8" Low Profile
RPM	6,600
Length / Weight	33.0" / 13.9 lbs



**REDLITHIUM**  
HIGH OUTPUT HD12.0

**Includes:** (1) M18™ REDLITHIUM™ HIGH OUTPUT™ HD12.0 Battery Pack, 16" Oregon® Bar and Chain, Srench, Scabbard, Rapid Charger



### M18 FUEL

#### Pole Saw Kit w/ QUIK-LOK™

2825-21PS

##### Specifications:

RPM	0 – 4,600
Bar Length	10"
Chain Gauge	.043"
Chain Pitch	3/8" Low Profile
Length / Weight	84.0" / 12.7 lbs



**REDLITHIUM**  
HIGH OUTPUT XC8.0

**Includes:** (1) M18™ REDLITHIUM™ HIGH OUTPUT™ XC8.0 Battery Pack, M18 FUEL™ Power Head w/ QUIK-LOK™, M18 FUEL™ QUIK-LOK™ 10" Pole Saw Attachment, QUIK-LOK™ 3' Attachment Extension, Oregon® Bar and Chain, Srench, Rapid Charger

### M18 FUEL

#### String Trimmer Kit w/ QUIK-LOK™

2825-21ST (2825-20ST Tool-Only)

##### Specifications:

Cutting Swath	14" – 16"
Line Diameter	.080" / .095"
RPM	0 – 4,900 / 0 – 6,200
Trigger	Variable Speed
Feed System	Bump Feed
Length / Weight	73.6" / 12.3 lbs



**REDLITHIUM**  
HIGH OUTPUT XC8.0

**Includes:** M18 FUEL™ Power Head w/ QUIK-LOK™, M18 FUEL™ QUIK-LOK™ String Trimmer Attachment, (1) M18™ REDLITHIUM™ HIGH OUTPUT™ XC8.0 Battery Pack, Rapid Charger



### M18 FUEL

#### QUIK-LOK™ Attachments

Compatible with M18 FUEL™ Power Head w/ QUIK-LOK™ (2825-20)

- 49-16-2717** M18 FUEL™ String Trimmer Attachment;
- 49-16-2718** M18 FUEL™ Edger Attachment;
- 49-16-2719** M18 FUEL™ Articulating Hedge Trimmer Attachment;
- 49-16-2720** M18 FUEL™ 10" Pole Saw Attachment;
- 49-16-2721** M18 FUEL™ 3' Attachment Extension



49-16-2717



49-16-2718



49-16-2719



49-16-2720



49-16-2721



## M18™ Brushless String Trimmer Kit

2828-21 (2828-20 Tool-Only)

### Specifications:

Cutting Swath	14" – 16"
Line Diameter	.080" / .095"
RPM	0 – 4,600 / 0 – 6,200
Trigger	Variable Speed
Feed System	Bump Feed
Length / Weight	73.6" / 11.5 lbs



**REDLITHIUM**  
HIGH OUTPUT™ XC6.0

**Includes:** (1) M18™ REDLITHIUM™ HIGH OUTPUT™ XC6.0 Battery Pack, Multi-Voltage Charger



## M18 FUEL Hedge Trimmer Kit

2726-21HD (2726-20 Tool-Only)

### Specifications:

Blade Length	24"
Cut Capacity	3/4"
SPM	3,400
Gear Case	All Metal
Length / Weight	45.5" / 11.1 lbs



**REDLITHIUM**  
HIGH OUTPUT™ XC8.0

**Includes:** (1) M18™ REDLITHIUM™ HIGH OUTPUT™ XC8.0 Battery Pack, Scabbard, Rapid Charger

## M18™ SWITCH TANK™ 4-Gallon Backpack Sprayer Kit

2820-21PS (2820-20PS Tool-Only)

### Specifications:

Tank Capacity	4-Gallon
Pump Type	Dual Diaphragm Pump
PSI Range	20 – 120 PSI (5 Modes)
Spray Distance	Up to 25'
Flow Rate Range	0.10 – 0.51 Gal/Min
Dry Weight	18.3 lbs



**Includes:** M18™ SWITCH TANK™ Powered Base, SWITCH TANK™ 4-Gallon Sprayer Tank Assembly, (1) M18™ REDLITHIUM™ XC3.0 Battery Pack, Adjustable Nozzle, Fan Nozzle, Multi-Voltage Charger

### Related Accessories:

**49-16-28WS** SWITCH TANK™ 4-Gallon Water Supply Tank Assembly;  
**49-16-28CS** SWITCH TANK™ 4-Gallon Concrete Sprayer Tank Assembly;  
**49-16-28PS** SWITCH TANK™ 4-Gallon Sprayer Tank Assembly



## M18 FUEL Blower Kit

2724-21HD (2724-20 Tool-Only)

### Specifications:

Max Air Volume	450 CFM
Max Air Speed	120 MPH
Noise Rating (db)	62 (ANSI B175)
Lock On Button	Yes
Length / Weight	36.9" / 7.3 lbs



**REDLITHIUM**  
HIGH OUTPUT™ XC8.0

**Includes:** (1) M18™ REDLITHIUM™ HIGH OUTPUT™ XC8.0 Battery Pack, Rapid Charger



FULL MILWAUKEE INDUSTRIAL LINE CARRIED - SPEAK WITH A REP FOR DETAILS ON YOUR TOOL NEEDS



Nothing but **HEAVY DUTY.**

# M18™ COMBO KITS

	2 PIECE KITS												3 - 4 PIECE KITS				LARGE KITS					
	2996-22	2997-22	2893-22CX	2893-22	2697-22	2697-22CT	2892-22CT	2691-22	2694-22	2695-22	2992-22	2999-22	2896-22	2897-22CT	2998-23	2694-24	2695-24	2696-24	2998-25	2696-26	2997-27	2695-15R
Kit Tool Total	2	2	2	2	2	2	2	2	2	2	2	2	2	2	3	4	4	4	5	6	7	15
M18 FUEL™ 1/2" Hammer Drill/Driver w/ ONE-KEY™	■																					
M18 FUEL™ 1/2" Hammer Drill/Driver		■										■			■				■		■	
M18™ 1/2" Brushless Hammer Drill/Driver			■	■							■											
M18™ 1/2" Compact Hammer Drill/Driver					■	■			■	■						■	■	■		■		■
M18™ 1/2" Compact Brushless Drill/Driver							■															
M18™ 1/2" Compact Drill/Driver								■														
M18™ 3/8" Right Angle Drill/Driver																						■
M18 FUEL™ Drywall Screw Gun												■	■									
M18 FUEL™ 1/4" Hex Impact Driver w/ ONE-KEY™	■																					
M18 FUEL™ SURGE™ 1/4" Hex Hydraulic Driver											■	■	■									
M18 FUEL™ 1/4" Hex Impact Driver		■													■				■		■	
M18™ 1/4" Hex Brushless Impact Driver			■				■															
M18™ Brushless 1/4" Hex 3-Speed Impact Driver				■																		
M18™ 1/4" Hex Impact Driver*					■	■		■								■	■			■		■
M18™ 5/8" SDS Plus Rotary Hammer																						■
M18 FUEL™ 1/2" Mid-Torque Impact Wrench w/ Friction Ring																					■	
M18™ 1/2" High Torque Impact Wrench																						■
M18™ 1/2" Compact Impact Wrench																						■
M18 FUEL™ SAWZALL® Reciprocating Saw															■				■		■	
M18™ SAWZALL® Reciprocating Saw									■							■	■			■		■
M18™ HACKZALL® One-Handed Reciprocating Saw										■							■					
M18 FUEL™ 6-1/2" Circular Saw																			■		■	
M18™ 6-1/2" Circular Saw																■				■		■
M18™ Brushless 7-1/4" Circular Saw											■											
M18™ Multi-Tool																						■
M18™ Band Saw																						■
M18™ Jobsite Radio																						■
M18 FUEL™ 4-1/2" / 5" Grinder Paddle Switch, No-Lock																					■	
M18™ 4-1/2" Cut-Off / Grinder																				■		■
M18™ Compact Blower																						■
M18™ Wet/Dry Vacuum																						■
M18™ Work Light																■	■	■	■	■	■	■
<b>Also Includes</b>																						
M18™ and M12™ Multi-Voltage Charger	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
M18™ Six-Pack Sequential Charger																						■
M18™ REDLITHIUM™ CP1.5 Battery Pack						2		2							2							
M18™ REDLITHIUM™ CP2.0 Battery Pack			1				2															
M18™ REDLITHIUM™ XC3.0 Battery Pack					2					2						2	2	2		2		
M18™ REDLITHIUM™ XC4.0 Battery Pack			1	2							2											4
M18™ REDLITHIUM™ XC5.0 Battery Pack	2	2							2			2	2		2				2		2	
Carrying Case	■	■									■											
Contractor Bag			■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	2	3


\*M18™ 1/4" Hex Impact Driver is the single, variable speed model



# TARPS


## Light Duty Tarps waterproof, chemical, tearing & mildew resistant

TARP-0608-BLUE	6' X 8'	TARP-0608-CLEAR	6' X 8'
TARP-0810-BLUE	8' X 10'	TARP-0810-CLEAR	8' X 10'
TARP-1012-BLUE	10' X 12'	TARP-1012-CLEAR	10' X 12'
TARP-1015-BLUE	10' X 15'	TARP-1015-CLEAR	10' X 15'
TARP-1520-BLUE	15' X 20'	TARP-1520-CLEAR	15' X 20'
TARP-1824-BLUE	18' X 24'	TARP-1824-CLEAR	18' X 24'
TARP-2030-BLUE	20' X 30'	TARP-2030-CLEAR	20' X 30'
TARP-3040-BLUE	30' X 40'	TARP-3040-CLEAR	30' X 40'
TARP-3050-BLUE	30' X 50'	TARP-3050-CLEAR	30' X 50'
TARP-4050-BLUE	40' X 50'	TARP-4050-CLEAR	40' X 50'
TARP-4060-BLUE	40' X 60'	TARP-4060-CLEAR	40' X 60'



## Medium Duty Tarps waterproof, chemical, tearing & mildew resistant. HDPE, Aluminum grommets every 3', poly rope reinforced hems

TARP-0608-BLUE-10X10	6'X8'
TARP-0810-BLUE-10X10	8'X10'
TARP-1012-BLUE-10X10	10X12'
TARP-1015-BLUE-10X10	10X15'
TARP-1520-BLUE-10X10	15X20'
TARP-1824-BLUE-10X10	18X24'
TARP-2030-BLUE-10X10	20X30'



## CAMOUFLAGE Medium Duty Tarps waterproof, chemical, tearing & mildew resistant. HDPE, Aluminum grommets every 3', poly rope reinforced hems

TARP-0608-CAMO-10X10	6' X 8'
TARP-0810-CAMO-10X10	8' X 10'
TARP-1012-CAMO-10X10	10' X 12'
TARP-1214-CAMO-10X10	12' X 14'
TARP-1520-CAMO-10X10	15' X 20'
TARP-2030-CAMO-10X10	20' X 30'




## Green Heavy Duty Tarps waterproof, chemical, tearing & mildew resistant. HDPE, Aluminum grommets every 3', poly rope reinforced hems

TARP-0608-HDG	6' X 8'
TARP-1012-HDG	10' X 12'
TARP-1216-HDG	12' X 16'
TARP-1520-HDG	15' X 20'
TARP-2030-HDG	20' X 30'
TARP-3040-HDG	30' X 40'
TARP-3050-HDG	30' X 50'
TARP-4060-HDG	40' X 60'



## Black Heavy Duty Tarps waterproof, chemical, tearing & mildew resistant. HDPE, Aluminum grommets every 3', poly rope reinforced hems

TARP-0608-HDB	6' X 8'
TARP-1012-HDB	10' X 12'
TARP-1216-HDB	12' X 16'
TARP-1520-HDB	15' X 20'
TARP-2030-HDB	20' X 30'
TARP-3040-HDB	30' X 40'
TARP-3050-HDB	30' X 50'
TARP-4060-HDB	40' X 60'



# SPILL PROTECTION


**Most durable sticky mat on the market, fast drying and easy to clean.**



**SFG3450** /roll 34" X 50 ft.  
**SFG34100** /roll 34" X 100 ft.  
 Standfast absorbent adhesive floor mat

**BNP36150**

Dura rug blue/grey poly 36" x 150ft roll.  
 18 rolls per skid



**1NPR36150**

36" X 150' Grey universal heavy wt roll.  
 12 rolls per skid

**ORH-150SL**

30" x 150' meltblown single laminated oil only roll. 18 /skid



## Spill Predator



**OPS-100B** /bundle  
 Oil only economy white spill pad.  
 100/bale, 60 bales per skid



**OPM-100B** /bundle  
 15x18 med wt oil only.  
 100/bale, 42 bales per skid



**OPH-100B** /bundle  
 15 x 18 bonded oil only heavy wt. 100/bale, 36 bales per skid




**GPS-100B** /bundle  
 Universal economy spill pad.  
 100/bale, 60 bales per skid



**GPH-100B** /bundle  
 Univ 15x18 bonded heavy wt.  
 100/bale, 36 bales per skid



**HPF350** /bundle  
 Univ spill pads xh 16x20 premium  
 100/bale, 30 bales per skid



**BPF350** /bundle  
 Oil spill pads xh 16x20 premium  
 100/bale, 36 bales per skid



**FLOOR-DRY (QUALISORB)**  
 22.6 Liter bag



**Spill kits**  
 14ea 15" X 18" Spill pads  
 2ea 3" X 4' Sorbent socks  
 1pr Nitrile gloves  
 1ea Disposal Bag & tie  
 1ea Contents sheet  
**SKOTB** Oil only **SKUTB** Universal



**Static Drum Maintenance Spill Kit**  
 208 Litre (55 US Gallon) Yellow drum with locking lid


The drum container for this spill kit keeps the absorbents clean, dry and ready for use when needed. A detachable lid with a locking rim keeps the contents secure before and after use.

- contents:**  
 100 x Pads size 40 cm x 46 cm (16" x 18")  
 14 x Socks size 8 cm x 1.2 m (3" x 4')  
 4 x Pillows size 23 cm x 38 cm (9" x 15")  
 5 x Waste Bags  
 2 pairs of gloves  
 2 pairs of goggles  
 1 neoprene drain cover

**SK-U55**



**TR-20**  
20 Gallon Spill Tray  
48" X 24" X 6" H



**Foam side wall Collapsible Secondary Containment Berms**  
**additional sizes & custom sizes available!**


**BLACK:** 30 oz/yd<sup>2</sup> (1020 gsm) Chemical & Hydrocarbon Resistant polyester  
**ORANGE:** 28 oz/yd<sup>2</sup> (950 gsm) PVC coated polyester  
**YELLOW:** 22 oz/yd<sup>2</sup> (750 gsm) PVC coated polyester

*Part numbers below represent yellow fabric, consult Red-L for price & delivery on orange & black.*

Part #	L x W x H	Capacity (90%)
<b>MBY244</b>	24 x 24 x 4	34 L (9 USG)
<b>MBY246</b>	24 x 24 x 6	51 L (14 USG)
<b>MBY364</b>	36 x 36 x 4	77 L (20 USG)
<b>MBY366</b>	36 x 36 x 6	115 L (31 USG)
<b>MBY484</b>	48 x 48 x 4	136 L (36 USG)
<b>MBY486</b>	48 x 48 x 6	204 L (54 USG)



**MBB364 CHEMSHIELD**  
MINI BERM 36" X 36" X 4"



**SJ-300-001**  
2 Drum Workfloor



**SJ-110-006**  
4 Drum Spill Pallet



**SJ-510-001**  
Single IBC Spill Pallet




**SJ-2E-PLAT**  
2 Drum Spill Pallet



**DRUM TROLLEY**



**SJ-520-001**  
Double IBC Spill Pallet



**Rubber tie down**  
 9" SH09-BH  
 15" SH15-BH  
 20" SH20-BH  
 30" SH30-BH

**BLACK CABLE TIES**

- 7065-0C 6" 100 pk
- 7066-0C 7.5" 100 pk
- 7067 0-C 11" 100 pk
- 7068-0C 14" 100 pk
- 7069 0-PK 25" 25 pk

**WHITE CABLE TIES**

- 7065-C 6" 100 pk
- 7066-C 7.5" 100 pk
- 7067-C 11" 100 pk
- 7068-C 14" 100 pk
- 7069-PK 25" 25 pk



**Outdoor EXTENSION CORDS**

- ORANGE**
- 2304SW8803 10 ft
  - 2307SW8803 25 ft
  - 2308SW8803 50 ft
  - 2309SW8803 100 ft
  - 260 Cord Set
- YELLOW**
- 19100002 25 ft
  - 4188SW8802 50 ft
  - 4189SW8802 100 ft

SEE PG 58 FOR POLAR/SOLAR EXT. CORDS



**07649**  
**DIESEL CAN 20L**



**07624**  
**20L Kerosene Jerry Gas Can**



**07622**  
**GAS CAN 20L SELF VENTING**



**07539**  
**(AB25) 25 LITRE GAS TANK**



**MO06792**  
**FLO-N-GO FUEL CADDY 53L**  
*Scepter 14 gallon fuel station with wheels, hose hanger and nut and 36" hose with flo n'go pump siphon head. Unit has two brass shutoff valves at the tank and at the hose end*



**03647**  
**(JCA4) PART-PACK**



**07081** GAS CAN  
 AB205 5 LTR



**03615**  
 J63 - 6L Gas + 2.25L  
 Oil Combo Can



**07079** GAS CAN AB10  
 2-1/2gal, 10L



**03609**  
 (RV520)  
 CAN-JERRY 20L



**03711**  
 (D520)  
 CAN-JERRY 20LT




**04933**  
 (W520) 20L  
 VENTED WATER





**4D-XHD**  
CCA Rating: 1000  
Warranty: 6 Months



**31P-MHD**  
CCA Rating: 950 Warranty: 18 Months HD



**31-MHD**  
CCA Rating: 950 Warranty: 18 Months  
HD Trucks / Equipment & Ag



**MTP-78DT**  
CCA Rating: 800 Warranty: 30 Months  
GM &



**8D-MHD**  
CCA Rating: 1400  
Warranty: 6 Months



**8D-1400**  
CCA Rating: 1400  
Warranty: 6 Months



**SRM-2**  
CCA Rating: 550 Warranty: 12 Months  
Marine & RV Deep Cycle Battery



**SRM-31**  
CCA Rating: 675 Warranty: 12 Months  
Marine & RV Deep Cycle Battery



**MTP-65HD**  
CCA Rating: 850 Warranty: 30 Months  
Ford & Dodge Trucks



**24M-RD**  
CCA Rating: 400 Warranty: 12 Months  
Marine & RV Battery



**24M-XHD**  
CCA Rating: 800 Warranty: 12 Months  
Marine & RV Deep Cycle Battery



**MTP-24F** CCA Rating:  
750 Warranty:  
30 Months Toyota Trucks



**MTP-94R/H7**  
CCA Rating: 790 Warranty: 30 Months  
Dodge Trucks



**MTP-48/H6**  
CCA Rating: 730 Warranty: 30 Months  
GMC & Chevrolet Trucks



**SRM-27**  
CCA Rating: 600 Warranty: 12 Months  
Marine & RV Deep Cycle Battery



**GC2-ECL-UTL**  
Warranty: 12 Months, 6 volt deep cycle  
battery RV and Golf carts





**SP-30**  
CCA Rating: 250 Warranty: 6 Months  
Lawn & Garden Battery



**SRM-4D**  
CCA Rating: 1314 Warranty: 6 Months  
Marine & RV Deep Cycle Battery

# INTERSTATE BATTERIES

Outrageously Dependable®



## BATTERIES



**#1 LONGEST LASTING BATTERY\***



- Performs in extreme temperatures from -40 F to 140 F
- Holds power for 20 years in storage
- Features guaranteed leak-proof construction (based on standard use)

**Pack Size**  
AA 24 Pack **LN91**  
AAA 24 Pack **LN92**  
9V 12 Pack **LN522**



**EN91** AA ALKALINE BATTERY pack of 24

**EN92** AAA ALKALINE BATTERY pack of 24

**EN93** C ALKALINE BATTERY pack of 12

**EN95** D ALKALINE BATTERY pack of 12

**EN22** 9V ALKALINE BATTERY pack of 12

**Energizer**  
INDUSTRIAL





## Threadlocker SELECTOR CHART

THREADLOCKERS

2-in-1 Compound

THREAD SEALANTS



PRODUCT	PURPLE Low Strength Threadlocker	BLUE Medium Strength Threadlocker	BLUE Surface Insensitive Threadlocker	ORANGE High Strength Removable Threadlocker	RED Permanent Strength Threadlocker	RED High Strength Threadlocker	RED High Temperature Threadlocker	GREEN Penetrating Grade Threadlocker	Seal & Lock Thread Compound	High Performance Thread Sealant	High Temperature Thread Sealant
SIZES PRODUCT #	6 ml - #24024	6 ml - #24200 36 ml - #24240 90 ml - #24283 2.5 ml - #24206 10 ml - #24210 50 ml - #24250  <b>Gel</b> Use Gel for Overhead Applications 5g GEL - #24005 10g GEL - #24010	6 ml - #24027 10 ml - #24300	10 ml - #25210	36 ml - #26240	6 ml - #27100 36 ml - #27140 90 ml - #27183 10 ml - #27110 50 ml - #27150  <b>Gel</b> Use Gel for Overhead Applications 5g GEL - #27005 10g GEL - #27010	6 ml - #24026 10 ml - #27200 36 ml - #27240	6 ml - #29000 36 ml - #29040	35 ml - #57535	50 ml - #56521	6 ml - #59214 50 ml - #59235
FASTENERS/ FITTINGS	#2 to 1/4" (2.2 - 6mm)	1/4" to 3/4" (6 - 20mm)	1/4" to 3/4" (6 - 20mm)	1/4" to 1" (10-25mm)	3/8" to 1" (10 - 25mm)	3/8" to 1" (10 - 25mm)	3/8" to 1 1/2" (10 - 25mm)	#2 to 1/2" (2.2 - 12mm)	1/4" to 3/4" (6 - 20mm)	Up to 2" (50mm)	Up to 2" (50mm)
BREAKAWAY/ PREVAILING TORQUE, IN-LB	55/20	115/50	180/60	160/180	190/275	250/250	200/225	65/225	80/N/A	N/A	N/A
TEMPERATURE RANGE	-65°F to +300°F (-54°C to +150°C)	-65°F to +300°F (-54°C to +150°C)	-65°F to +300°F (-54°C to +150°C)	-65°F to 300°F (-54° to 150°C)	-65°F to +300°F (-54°C to +150°C)	-65°F to +300°F (-54°C to +150°C)	-65°F to +450°F (-54°C to +232°C)	-65°F to +300°F (-54°C to +150°C)	-60°F to +300°F (-51°C to +150°C)	-65°F to +300°F (-54°C to +150°C)	-65°F to +400°F (-54°C to +204°C)
APPLICATIONS	Small mounting screws, throttle body assembly, choke assembly, interior panel screws and light duty requirements	Valve cover bolts, water pump bolts, oil pan bolts, drive shaft bolts, carburetor studs	Rocker studs, rocker adjustment bolts, disc brake caliper slide bolts, intakes, alternator and pulley assemblies	Case half bolts, triple tree fasteners, fly wheel bolts, stator bolts, axle nuts, dirt bikes, heavy-duty construction, power tools, lawn and garden	Ring gear bolts, transmission shaft bolts, strut or shock hardware, control arm hardware	Threaded and slip fit joints, cylinder block and rocker arm studs, ring gear bolts, transmission and shaft bolts, strut or shock hardware, control arm hardware and many motorcycle applications	Camshaft sprocket bolts, crankshaft bolts, idler bearings, transmission input and output shaft threads and heavy duty applications	Preassembled fasteners, instrument screws, carburetors, adjustment screws	Threaded freeze plugs, oil pressure sensor, fuel line supply nuts and bolts, fuel injector, coolant temperature sensor, power steering cooler lines, brake master cylinder line nuts, A/C systems, plumbing systems	Steel fittings, head bolts into through holes, oil PSI sending units/sensors, oil and coolant lines, intake manifold switches, rear axle fill plug, fuel fittings	Head bolts into through holes, oil PSI sending units/sensors, oil and coolant lines, fuel fittings, rear axle fill plug, power steering fittings

Part Number											
-------------	--	--	--	--	--	--	--	--	--	--	--



**MO18378**  
AA Complete Car Care 5pc Kit

Your car's delicate surfaces are too important to trust to a household cleaners.

**COMPLETE CAR CARE 5PC KIT**  
Items Included: Armor All Tire Foam Protectant, Armor All original Protectant, Armor All Auto Glass Cleaner, Armor All Cleaning Wipes and Armor All Ultra Shine Wash & Wax.; Powerful Cleaning for Auto Surfaces



**MO10859**  
ORIGINAL PROTECTANT  
WIPES, 25 wipes



**MO10850**  
GLASS WIPES  
25 wipes



**MO10856**  
LEATHER WIPES  
25 wipes



**MOTHERS®**  
Polishes•Waxes•Cleaners



**MO35500**  
CALIFORNIA GOLD  
PASTE WAX 340g



**MO35550**  
NATURAL CARNAUBA  
WAX 340g



**MO35100** 5oz  
MAG & ALUMINUM  
POLISH



**MO35140**  
POWERBALL  
POLISHING TOOL



**MO35141**  
Mini POWERBALL  
POLISHING TOOL



**MO05424**  
CARPET/UPHOLSTERY  
CLEANER



**MO30124**  
CMX CERAMIC SPRAY  
COATING



**MO35701** 473mL  
CARNAUBA  
LIQUID WAX



**MO38100** 473mL  
SEALER & GLAZE



**MO36112**  
BACK TO BLACK



**MO37240** 3.785L  
CLAY BAR PAINT  
SAVER SYSTEM



**MO38216** 473mL  
SHOW TIME  
INSTANT DETAILER



**MO35316** 473ML  
PRESERVE  
PROTECTANT



**MO05302** 3.785L  
PRESERVE  
PROTECTANT



**MO35600** 473mL  
CAR WASH



**MO35632** 946mL  
CAR WASH

**California Gold**



**8.31** 78024 946mL  
ORIGINAL SPRAY  
PROTECTANT



**8.31** 32061 650mL  
SPRAY GLASS CLEANER



**8.31** 18250 283g  
VENT & DUCT CLEANER



**8.31** MO40340 4710mL  
SPRAY RIM CLEANER



**8.31** 78173 567g  
TIRE FOAM



**8.31** 78026-ARMORALL  
650mL  
SPRAY TIRE SHINE



# Little Tree Car-Fresheners



**KATZ AZZ**  
www.katzazz.com



Its here ...Your  
Favorite **NEW**  
All-in-One  
lube Spray

- Lubricant
- Penetrant
- Degreaser
- Dielectric

KATZ-AZZ-CAN

KATZ-AZZ-4L

KATZ-AZZ-CAN-HOLDER  
*FREE with case of 12 purchase*

**'Soaks Into Metal  
... like a frikkin'**  
**SPONGE**



**DIESEL JUICE**

The **ALL-IN-ONE** Diesel Additive



**Anti - Gel**  
**More Power**  
**Easier Starts**  
**Cleans Injectors**  
**Lubricate Injectors**

**Good to -50°**  
with **7pt CETANE**  
**POWER BOOST**

**Feel the  
difference ...  
from the first  
TANK**



DJ1000ML 1L jug  
DJ4000ML 4L jug



# Gasket Makers

Product	Water Pump & Thermostat Silicone Gasket Maker	Gear Oil Gasket Maker	Ultra Black Gasket Maker	Ultra Grey Gasket Maker	Ultra Red Gasket Maker	Optimum Black Gasket Maker	Optimum Grey Gasket Maker	Optimum Red Gasket Maker	The Right Stuff 90min Black Gasket Maker	The Right Stuff 90min Grey Gasket Maker	The Right Stuff 90min Red Gasket Maker	The Right Stuff Black Gasket Maker	The Right Stuff Grey Gasket Maker	The Right Stuff Red Gasket Maker
Sizes/ Part number	22071 - .5oz TB	81182 - 3oz TB 81184 - 5fl oz CT	22072 - .5oz TB 82180 - 3.35oz TB 85080 - 9.5oz PB	22074 - .5oz TB 82194 - 3.35oz TB 85084 - 9.5oz PB	81630 - 3.35oz TB 81695 - 9.5oz PB 81624 - 13oz CT	27037 - 3.35oz TB 27137 - 9.5oz PB 27237 - 13oz CT	27036 - 3.35oz TB 27136 - 9.5oz PB 27236 - 13oz CT	27038 - 3.35oz TB 27138 - 9.5oz PB 27238 - 13oz CT	25228 - 3oz TB	34328 - 3oz TB	34628 - 3oz TB	25229 - 3oz PC Carded 29208 - 5oz CT 85224 - 7.5oz PB 33694 - 10oz CT	25238 - 3oz PC Carded 34311 - 5oz CT 85144 - 7.5oz PB 34310 - 10oz CT	34423 - 3oz PC Carded 34425 - 5oz CT 34426 - 7.5 PB 34424 - 10oz CT
Temp Range	-65°F to 500°F Intermittent	-65°F to 500°F Intermittent	-65°F to 500°F Intermittent	-65°F to 500°F Intermittent	-65°F to 650°F Intermittent	-75°F to 500°F Intermittent	-75°F to 700°F Intermittent	-90°F to 750°F Intermittent	-65°F to 500°F Intermittent	-65°F to 500°F Intermittent	-65°F to 650°F Intermittent	-75°F to 450°F Intermittent	-75°F to 450°F Intermittent	-75°F to 650°F Intermittent
Sensor Safe	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Applications	Water-Glycol (Antifreeze)	Gear oil, Manual Transmissions	Heavy Duty Oil	High Torque, High Vibration	High-Temp	Max Flex and Oil Resistance	Max Torque & Vibration	Max Temp	90 Minute Return to Service	90 Minute Return to Service	90 Minute Return to Service	Immediate Return To Service	Immediate Return To Service	Immediate Return To Service
Replaces					Replaces previous gen. Red			Replaces Ultra Copper 81878						



MO0104  
28"X28" BUNGEE  
CARGO NET with 12  
Hooks



MO0108  
60"X72" BUNGEE  
SPIDER NET  
12 Adjustable Hooks &  
Storage bag  
1/4" Bungee



MO56102  
HEAVY DUTY LONG  
BUNGEE CORD  
SET. 16pcs

www.redl.com



"The Hose People Plus"

sales@redl.com



## Part# 10109 - Grease Fittings Assortments, 70 Pieces

9 popular sizes of S.A.E. and Metric grease fittings: 1/8" NPT, 1/4"-28, M6, M8 and M10, both in straight, 45° and 90° types.  
Contents:

PART#	DESCRIPTION	QTY.	PART#	DESCRIPTION	QTY.
11100	Straight, 1/8" NPT	10	11109	90°, 1/4"-28	5
11102	45°, 1/8" NPT	5	11114	Straight, M6	10
11104	90°, 1/8" NPT	5	11117	Straight, M8	5
11105	Straight, 1/4"-28	20	11120	Straight, M10	5
11107	45°, 1/4"-28	5			

\*NPT - National Pipe Thread Taper



## Part# 10121 - Heat Shrink Tube Assortment 171 Pieces

A shrinkable plastic tube used to insulate wires, providing abrasion resistance and environmental protection for stranded and solid wire conductors, connections, joints and terminals in electrical work.

DESCRIPTION	QTY.	DESCRIPTION	QTY.
Green 5/64" x 1-1/4"	25	White 15/64" x 2-1/4"	6
White 5/64" x 1-1/4"	25	Black 25/64" x 4"	1
Red 5/64" x 1-1/4"	25	Green 15/32" x 3-1/2"	7
Black 5/64" x 1-1/4"	25	White 5/16" x 3-1/2"	11
Blue 5/32" x 2-1/4"	10	Blue 23/63" x 3-1/2"	11
Red 13/64" x 2-1/4"	8	Yellow 23/64" x 3-1/2"	7
Black 3/16" x 2-1/4"	10		



## Part# 10105 - Hair Pin Assortments, 150 Pieces

The 6 most popular sizes of Hair Pins, from 3/32" to 5/32" in diameter.  
Contents:

DESCRIPTION	QTY.	DESCRIPTION	QTY.
3/32" x 1-3/16"	42	7/64" x 1-5/8"	25
5/64" x 1-5/16"	30	9/64" x 1-3/4"	20
5/64" x 1-9/16"	25	5/32" x 2-5/16"	8



## Part# 10111 - Wire Connector Assortments, 158 Pieces

5 popular sizes of Wire Connectors from 22 to 10 Gauge.  
Contents:

DESCRIPTION	QTY.	DESCRIPTION	QTY.
22 Gauge, Grey	40	14 Gauge, Yellow	18
22 Gauge, Blue	40	10 Gauge, Red	10
16 Gauge, Orange	50		



**20 lb. Boxed Rags**

**RD415-C20**

WHITE GANZEY COTTEN RAGS

**WHITE-COTTON-RAGS**

(RD462-C20) RECYCLED WHITE COTTON RAGS

**FLANNEL-RAGS**

(RC710-C20) FLANNEL RAGS

**WHITE-FLEECE-RAG**

(RF001-C20) WHITE FLEECE RAGS

**WESTERN FLEECE**

FLEECE WIPING RAGS

**10 lb. Boxed Rags**

**RSM10-C10-C**

10 lb. BOX MIXED COTTON T-SHIRT



**Shop Towels  
in a box  
75090**

/box  
85 sheets



**Shop Towels  
on a roll  
75120**

/roll  
12 rolls/case



**Scott® Pro  
Shop Towels  
32992**

/roll  
12 rolls/case



**Scott® Kitchen  
Roll Towels 41482**

/case of 20



**RF012-B20-H** /bale  
20 lb. bale Fleece Rags



**WYPALL\* X60 Wipers**

**54015-KC**  
252 sheets /box



**WYPALL\* L30  
Wipers 05841**  
950 sheets, light duty



**WYPALL X60 TERI  
WIPER**

/case of 12 rolls  
**35401** 130 sheets /roll



**2pl 11" Paper Towel  
01890/case of 15**

70 Sheets/roll, light duty



**Scott® Essential  
Paper Towels, 2 Ply,  
Centre Pull 01010  
case 4**

**\$ 60.97** ea.  
625', light duty



**Kleenex Hard Roll  
Towel 50500**

ea. 425 feet roll



## Drum Bung Adapter

- Prevents contaminants from entering drum
- Design to last
- Wipes stinger clean



11074

## Measurer with Fixed Lid & Nozzle

US, Imperial, and Metric graduations. Ideal for fluids and dry material.

PART#	CAPACITY	SPOUT DIAMETER	SPOUT LENGTH	LID TYPE
<b>14045</b>	152 oz. (4.5L)	7/16"	5"	Blow molded fixed lid



## Industrial Funnels

Made of flexible, durable, spark-proof, dent-proof, rust-proof, clear polyethylene. Features a handy hang-up tab. Supplied with one 100 mesh filter.

**DYNALINE** **CLUTHE**

PART#	PART#	SIZE	CAPACITY	SPOUT DIAMETER	SPOUT LENGTH	OPENING DIAMETER
<b>13003</b>	<b>C30030</b>	3"	6 oz. (177 ml)	3/16"	1-7/8"	3"
<b>13005</b>	<b>C30050</b>	5"	24 oz. (710 ml)	1/2"	2-1/4"	5-3/8"
<b>13009</b>	<b>C30090</b>	9"	144 oz. (4.26 L)	1"	3-3/8"	8-1/2"



## Tractor Funnel

Heavy duty galvanized steel. Comes with one gold mesh filter, 11-1/2" high.

PART#	CAPACITY	DIAMETER	TIP OUTSIDE DIAMETER	SPOUT DIAMETER	SPOUT LENGTH
<b>13811</b>	8 qt. (7.5 L)	9-1/2"	1"	1"	3-5/8"

## 13000 - Grease Box

- A convenient and durable storage container for grease tubes.
- Features snap top lid, grip handles & carry strap.
- Provides safe storage and transportation, preventing spills & contamination.
- Stores 12 tubes upright, dust caps on.





**“The Hose People Plus”**

**QUALITY RUBBER GARDEN HOSE**

GH-10X50-GREEN **\$47.97**

**QUALITY RUBBER GARDEN HOSE**

GH-10X50-RED **\$47.97**

**QUALITY RUBBER GARDEN HOSE**

GH-10X50-BLACK **\$49.97**



**MULTI-PURPOSE NOZZLE**

GHN7 **\$9.97**

**INSULATED NOZZLE (RED)**

572TFR **\$8.97**

**NON-INSULATED NOZZLE  
(GREEN)**

805932-5011 **\$7.97**



**BE Power PRESSURE WASHER**

P1519EN **\$234.97**



**BUG WASH FLUID BUG-WASH \$2.95**







**FLUID FILM**  
333g Fluid Film



**75330 311g**  
CRC  
Screwloose  
Penetrant



**WINDEX-AERO-**  
90129  
Aerosol Foaming 576g



**WINDEX-**  
TRIG-807701  
765mL



**SPRAY-BOTTLE-1000**  
INDUSTRIAL TRIGGER  
SPRAY BOTTLE



**48040**  
2 PLY LARGE ROLL BATH-  
ROOM TISSUE  
12 rolls/box



**03076**  
2 PLY BATHROOM TISSUE  
12 boxes of 125 sheets/bx  
per case



**48040**  
2 PLY BATHROOM TISSUE  
40 rolls/box



1.800.252.9390

# SUMMER ESSENTIALS



**DEEP WOODS OFF**  
230g



**DEEP WOODS OFF SPORTSMAN**  
230g



**MO99801**  
BLAZE WASP & HORNET  
KILLER



**TUFHD31PE**  
Head Lamp

Pivot the headlight and direct its powerful beam of LED light up to 100 meters away (on high). With full power, spot, or flood operating modes, you can get high-powered brightness for 6.5 hours (on high mode) or a longer, 22-hour runtime (on low). This is a headlamp built for even the most demanding tasks.



**2475-21XC 1200PSI TIRE INFLATOR**

**FASTEST CORDLESS TIRE INFLATOR.** The Milwaukee® M12™ Compact Inflator delivers fast, accurate, easy inflation with the portability to take anywhere. With the capability to complete demanding applications like car, LT truck, and compact equipment tires, the M12™ Compact Inflator gives users ultimate power and efficiency. Rated to deliver over 120PSI, The high efficiency motor and pump top-off car tires in under 1 minute.



**MO236320 LED LIGHT (TOOL ONLY)**  
Light beam is adjustable between 180° and 360° allowing the user to choose between area and task lighting. Delivers over 700 Lumens, enough to illuminate large work areas. 4 light settings: High, Medium, Low, Strobe.



**PROFESSIONAL**  
3.78 L dish detergent  
**DAWN**



**LYSOL BLEACH**  
053-0192-6  
710 mL



**PINESOL**  
4.25 L



**PINESOL-LAVENDER**  
4.25 L



**TIDE POWDER**  
**TIDE-150**



**CLR 825 mL**  
053-0342-0



**MO25219**  
ORIGINAL HAND  
CLEANER 1 gal



**MO25618**  
EXTREME HAND  
CLEANER 1 gal



**MO65225**  
HAND CLEANER PAINT &  
RESIN 443ml



**GOJO SCRUBBING WIPES**

6396 72 count bucket  
6398 170 count bucket

**FAST WIPES**

6298 130 count bucket  
6299 225 count bucket



**MO25570**  
MECHANICS LAUNDRY DETERGENT  
1.18 L



**SPRAY9-650ML** 650 mL  
**SPRAY9** 946 mL  
**SPRAY9-4L** 3.785 L jug  
**SPRAY9-20L** 18.9 L pail

01055 85g can  
01022 aerosol 342g  
**WD40-4L** 3.785 L can



• Stops Squeaks  
• Cleans And Protects  
• Loosens Rusted Parts  
• Frees Sticky Mechanisms  
• Drives Out Moisture  
**DANGER: HARMFUL OR FATAL IF SWALLOWED.**  
COMBUSTIBLE  
SEE OTHER SIDE OF BOX  
1 GALLON/3.785 LITERS





# Retail Contractor Bags



**SUPERSAK® Contractor Bags 37801 25.58**  
 • 33" X 45", **Black**  
 • 2.20 MIL Bags  
 • 32 bags per box  
 • Perforated tear off roll  
 • Dispenser carton  
 • 96 boxes per skid



**SUPERSAK® Bags Ultra Tough 37800 25.58**  
 • 33" X 45", **Clear**  
 • 2.20 MIL Bags  
 • 32 bags per box  
 • Perforated tear off roll  
 • Dispenser carton  
 • 96 boxes per skid



**SUPERSAK® 3 MIL Bags 37901 33.60**  
 • 33" X 48", **Black**  
 • 3 MIL Bags  
 • 30 bags per box  
 • Perforated tear off roll  
 • Dispenser carton  
 • 96 boxes per skid



**SUPERSAK® 3 MIL Bags 37900 35.58**  
 • 33" X 48", **Clear**  
 • 3 MIL Bags  
 • 30 bags per box  
 • Perforated tear off roll  
 • Dispenser carton  
 • 96 boxes per skid



**SUPERSAK® Bags Ultra Tough 38001 51.82**  
 • 35" X 50", **Black**  
 • 3 MIL Bags  
 • 50 bags per box  
 • Perforated tear off roll  
 • Dispenser carton




**Trash Bags**

<b>2771-01</b>	26" X 36" Black Strong 200/case
<b>2773-01</b>	30" x 38" Black strong 200/case
<b>2785-01</b>	35" x 50" Black extra strong 100/case
<b>2787-01</b>	42" x 48" Black extra strong 75/case
<b>2952-10</b>	20" x 22" White regular 500/case
<b>2977-00</b>	42" x 48" Clear strong 100/case



ea. L-1  
**OLFA® Pistol Grip Ratchet-Lock Utility Knife**



/pkg. **5009-OLFA 18mm Heavy-duty Ultra-Sharp Black Snap-off Blades, 10 pack (LB-10B)**



ea. **57045**  
**Heavy Duty Reach and Grip**



**5553PF Grease Monkey® /box of 50**  
 Blue heavyweight rubber latex with textured surface, powder-free, 15 mil thickness, 11" rolled cuff, CFIA approved, Size M-XXL **while quantities last**



**GARBAGE CAN & LID**  
**142-5018-2 77L**



**5556PF \*Green Monkey® /box of 50**  
 5 mil nitrile with Reclaim™ additive accelerates biodegradation in active landfills and anaerobic conditions, 9.5" rolled cuff, Size S-XXL



**Flagging Tape**

Indoor or Outdoor Use, 1" x 200",  
High Visibility, Fluorescent Colours

**TGFT-1X200ORANGE** Orange

**TGFT-1X200RED** Red

**Arctic Flag tape** 1" X 125'

**CAN160-3000** Flo Orange

**CAN160-3003** Pink

**CAN160-3001** Blue

**CAN160-3005** Yellow



2" WIDE  
TAPE

**H-464LIME**

2" Heavy Duty Tape  
Dispenser Lime Green



**Barricade Tape** Polyethylene Film, 3" x 1000"

Part #

**TGCT-3X1000CAUTION-B**

**TGCT-3X1000DANGER-B**

**TGCT-3X1000DDNE-B**

**TGCT-3X1000DNGRYLW-B**

Color Description

Yellow **CAUTION**

Red **DANGER**

Red **DANGER DO NOT ENTER**

Yellow **DANGER**



**TFLN-JET-PETRO-1/2** 1/2" X 540" /roll

**TFLN-JET-PETRO-3/4** 3/4" X 540" roll

**TFLN-JET-PETRO-1** 1" X 540" /roll



**Teflon Tape**

**TFLN-1/2** 1/2" /roll

**TFLN-3/4** 3/4" /roll

**TFLN-1.0** 1" /roll

**PVC Electrical  
Tape /roll**

3/4" X 60'

**PVC-66 (Black)**

**PVC-66-BLUE**

**PVC-66-GREEN**


**PVC-66-RED**

**PVC-66-WHITE**

**PVC-66-YELLOW**




**205-02-6066 RED  
TUCK  
CONTRACTORS TAPE  
60MM X 66M**



**3M™ Automotive Acrylic Plus  
Attachment Tape, 1.12 mm**

**06386** /roll 1/4"

**06382** roll 1/2"



**General Purpose Poly  
Coated Blue Duct Tape**

**94-08-4855** /roll



**General Purpose Poly  
Coated Black Duct Tape**

**94-01-4855** /roll



**Aluminum Foil Tape**

**90-21-4845** /roll

48mm X 45M



**Masking Tape**

**107-00-2455** /roll

24mm X 55M

**107-00-4855** /roll

2" X 180ft.

**107-00-7255** /roll

3" X 180ft.



**Clear hockey Tape**

**979-25-2425**/roll

24mm X 25M



**Economy Poly Coated Duct Tape**

**93-21-7255** /roll 3" X 180 ft.

**93-21-4855** /roll 2" X 180 ft.



**Production grade Poly Coated  
DUCT-TAPE** /roll

2"X180'



**6035060T**

2" X 35 yd.



# BULK CHEMICALS



**EVERGREEN-LIQUID-20L  
EVERGREEN-LIQUID-205L**

High-performance liquid alkaline cleaner designed for car or truck wash-bays. May be used in automatic foaming systems, high pressure systems, friction tunnel and rollover wash-bays.



**EVERGREEN-LIQUID-PLUS-20L  
EVERGREEN-LIQUID-PLUS-205L**

High-performance evolution of Evergreen Liquid designed for more demanding presoak or detergent applications. No VOC's, high foaming, high pH for fast cleaning action.  
*Good for hard water!*



**ACTION-20L  
ACTION-205**

Near-neutral pH liquid cleaner designed for improving wash-bay environments by eliminating common hazardous ingredients. Contains no harsh alkali, phosphates, or solvents.



**SPR205-RW  
RIG-WASH-LIQUID-1000L**

**RIG WASH LIQUID** is an industrial strength product that is effective in all types of water conditions designed for the Drilling, Oil & Gas, Shutdown and Turn-around, Transportation, Washbays  
Available Sizes: 1000L, 205L



**Heavy-duty solvent cleaner & degreaser  
ENVIROSOL-20L**

a versatile high-performance cleaner & degreaser that utilizes the solvency & sustainability of terpene chemistry as a replacement for aromatic solvents such as xylene or toluene. It removes a multitude of soils for a variety of applications in the oilfield, manufacturing, mining & printing industries.



**Enzyme-base cleaner & degasification aid  
ROC40-20L  
ROC40-205L**

ROC 40 is an enzymatic product used for all vessel entry procedures. It penetrates foulant to mitigate benzene and LEL emissions, H<sub>2</sub>S gas and pyrophoric iron accumulation while providing vessel entry with reduced decontamination times.



**Portable outhouse deodorizer  
REFRESH-20**

is a liquid deodorizer designed to control odors produced from waste. It provides a controlled release of fragrance to give long lasting odor control.



**Citrus-based solvent/degreaser  
CITRIKLEEN-CR-34-DRUM  
CITRIKLEEN-CR-34 20L jug**

CITRIKLEEN® CR34 is a versatile and fast-acting cleaner and degreaser designed for aggressive removal of petroleum-based materials from tough matrices such as the mud, clay or sand typically found in the oilfield industry or energy service sector.



**SOLVENT-20L  
SOLVENT-205**

Regular petroleum-based solvent in pail or drum size.



**HD Natural Degreaser Solvent**

**CC20** /20 L pail  
**CC205** /205 L drum



**OIL EATER 35438  
20L pail**



**Rig Wash  
RW-300-20 20L pail**

# HD-500

## HEAVY DUTY DEGREASER



**HD-500** IS AN INNOVATIVE, WATER BASED, INDUSTRIAL STRENGTH DEGREASER THAT POSSESSES SUPERIOR PENETRATION PROPERTIES AND EFFECTIVELY REMOVES OIL AND GREASE. **HD-500** PRODUCES INDUSTRY LEADING CLEANING EFFICIENCY WHILE MAINTAINING AN UNMATCHED SAFETY PROFILE AND EXCELLENT RINSING PROPERTIES. **HD-500** IS AN ALKALINE CLEANER WITH LEADING-EDGE SURFACTANT TECHNOLOGY THAT LOWERS DYNAMIC SURFACE TENSION ALLOWING EXCEPTIONAL WETTING TO LIFT AND SUSPEND PARTICLES FOR OPTIMUM CLEANING EFFICACY.

### FEATURES AND BENEFITS

- EXCEPTIONAL HEALTH & ENVIRONMENT SAFETY
- READILY BIODEGRADABLE
- NO BUTYL OR NONYLPHENOL ETHOXYLATES
- NON-CARCINOGENIC
- NON-SENSITIZING
- SUPERIOR RINSING PROFILE
- SAFE ON PAINT AND METALS
- ABILITY TO DILUTE TO SUIT APPLICATION
- NO SPECIAL PPE REQUIRED

### APPLICATIONS

#### SURFACES:

- HEAVY EQUIPMENT (MINING, OILFIELD AND CONSTRUCTION)
- MOTORS, ENGINES AND TOOLS
- PIPELINE EQUIPMENT
- DRILLING EQUIPMENT
- VEHICLE AND EQUIPMENT PRE-SOAK
- PARTS WASHING
- SHOP FLOORS AND WALLS

#### CONTAMINANTS:

- INDUSTRIAL GREASE AND LUBRICANTS
- HYDRAULIC, MOTOR AND GEAR OIL
- CARBON DEPOSITS
- BUGS AND WAX



### 20,000 LUMEN TWIN HEAD LED WORK LIGHT WITH TRIPOD

**606-566-DOC (2/case)**

- Heavy duty construction, Rust resistant
- Telescopic tripod stand with rubber feet
- Turn knob assembly & rotating lamps
- Cast aluminum body, Easily adjustable
- Tempered glass lens covers
- 200W, 30,000 hour lifetime
- 6 ft. grounded cord (18 awg)

**NEW PRODUCT**

## LIGHTING



### 800 LUMEN 10W LED WORK LIGHT

**606-560-DOC ea.**

Weight 1 kg  
Dimensions 18 x 18 x 11 cm



### 10,000 LUMEN LED PORTABLE WORK LIGHT

**606-564-DOC (4/case)**

- Heavy duty construction, Rust resistant
- Easily adjustable, Turn knob assembly
- Lamp can be focused up or down
- Cast aluminum body
- Tempered glass lens cover
- Attractive, colorful packaging
- 100W, 50,000 hour lifetime
- 6 ft. grounded cord (18 awg)

**NEW PRODUCT**



# TOWING, HITCHES & ACCESSORIES



**11560**  
TW 500 lb. GTW 5000 lb.



**11561**  
TW 500 lb. GTW 5000 lb.



**11562**  
2"x2" Receiver opening



**11586-11588**  
1 piece, forged fits 2" receivers



**11590**  
TW 500 lb. GTW 5000 lb.



**11592**  
TW 600 lb. GTW 6000 lb.



**11600**  
TW 500 lb. GTW 5000 lb.



**11601-11603**  
TW 600 lb. GTW 6000 lb.



**11604**  
1-7/8" TW 350 lb. GTW 3500 lb.  
2" TW 600 lb. GTW 6000 lb.



**11606**  
1-7/8" TW 350 lb. GTW 3500 lb.  
2" TW 600 lb. GTW 6000 lb.  
2-5/16" TW 1000 lb. GTW 10000 lb.



**11607**  
1-7/8" TW 350 lb. GTW 3500 lb.  
2" TW 600 lb. GTW 6000 lb.  
2-5/16" TW 1000 lb. GTW 10000 lb.



**11610, 11630**  
TW 1000 lb. GTW 10000 lb.



**11611-11612**  
TW 600 lb. GTW 6000 lb.



**11641**  
TW 600 lb. GTW 6000 lb.



**11648**  
1-7/8" TW 350 lb. GTW 3500 lb.  
2" TW 600 lb. GTW 6000 lb.  
2-5/16" TW 1000 lb. GTW 10000 lb.



**11652**  
1-7/8" TW 200 lb. GTW 2000 lb.  
2" TW 600 lb. GTW 6000 lb.  
2-5/16" TW 1000 lb. GTW 10000 lb.



**11672**  
TW 200 lb. GTW 2000 lb.



**11686, 11687, 11688**  
TW 1200 lb. GTW 12000 lb.



**11691, 11692**  
TW 1000 lb. GTW 10000 lb.



**11693** TW 600 lb. GTW 6000 lb.  
**11694** TW 1000 lb. GTW 10000 lb.

## Ball Mounts **DYNALINE**

Part #	Description
<b>11560</b>	Multi-Use Ball Mount
<b>11561</b>	Adjustable Ball Mount Drop 5-9.5, Height 3.75-8.25
<b>11562</b>	Double Adjustable Ball Mount
<b>11586</b>	Ball Mount, Forged Steel 2" Drop, 10,000Lbs, 1-1/4" hole
<b>11587</b>	Ball Mount, Forged Steel 4" Drop, 10,000Lbs, 1-1/4" hole
<b>11588</b>	Ball Mount, Forged Steel 6" Drop, 10,000Lbs, 1-1/4" hole
<b>11590</b>	1 7/8 BALL AND PIN
<b>11592</b>	BALL MOUNT KIT
<b>11600</b>	Straight Bar Ball Mount 5000 lb GTW
<b>11601</b>	BALL MOUNT 2IN DROP 6000LB
<b>11603</b>	BALL MOUNT 6" DROP # 6000 LB.
<b>11604</b>	Dual Ball Mount 1-7/8 & 2 3500 lb & 6000 lb
<b>11606</b>	Triple Ball Mount /W Tow Hook 1-7/8", 2" & 2-5/16" Balls
<b>11607</b>	TRIPLE BALL MOUNT SOLID-SQUARE 1-7/8
<b>11610</b>	Pintle Mount 7-3/8" x 5" 14000 lb Gross

Part #	Description
<b>11611</b>	Chrome Ball Mount 2" Drop
<b>11612</b>	Chrome Ball Mount 3.75" Drop
<b>11630</b>	Pintle Mount 12-1/2" x 5" 10000 lb Gross Trailer Weight
<b>11641</b>	2IN BALL MOUNT KIT
<b>11648</b>	Triple Ball Mount Solid-Round 1-7/8", 2" & 2-5/16" Balls
<b>11652</b>	Triple Ball Mnt Hollow-Square 1-7/8", 2" & 2-5/16" Balls
<b>11672</b>	Ball Mount, 1-1/4 Shank 3-1/2 Drop, 3 Rise, 2000lb GTW
<b>11686</b>	Ball Mount, Forged, 1-pc 2" drop 3/4" rise, 12,000lbs GTW
<b>11687</b>	Ball Mount, 1-pc, Forged 4" drop 3" rise, 12,000lbs GTW
<b>11688</b>	Ball Mount, Forged, 1-pc 6" drop 5" rise, 12,000lbs GTW
<b>11691</b>	Ball Mount 1-1/4" Super Duty 2-1/2" Shank, 5" Drop
<b>11692</b>	Ball Mount 1-1/4" Super Duty 2-1/2" Shank, 8" Drop
<b>11693</b>	Shackle Ball Mnt 9-3/8" Hollow 5/8" Shackle 600 TW, 6000 GTW
<b>11694</b>	RECOVERY HITCH 10000 LBS



**66277**  
Coupler Lock & Receiving Set



Universal Trailer Coupler Locks  
**65085** Light duty  
**65086** Heavy duty



**65087** Light duty  
Trailer Lock Kit, Keyed alike



**Receiver Lock Pins** Two sizes to fit most receiver-type hitches.  
**66274** 1/2" Ø, 2-1/2" usable length, 5500 lbs. Tensile strength  
**66275** 5/8" Ø, 3" usable length, 8800 lbs. Tensile strength



**66276**  
Coupler Lock



**65088**  
Wheel Locks Heavy duty



**65089**  
Wheel Locks Super heavy duty



**65090**  
Wheel Locks Extreme heavy duty



**Hitch Locks**  
**65091** Sleeved Barrel  
**65092** Bent Pin  
**65093** Dual Bent Pin



**Mount Fixed Lunette Ring**  
**11634**

2-1/2" ring diameter, 3-1/4" shank length,  
1-1/2" shank diameter 15,000 lb tow rating



**Combination Pintle Hooks**

PART #	BALL SIZE	BALL CAPACITY	TW (LB)	GTW (LB)	REPLACEMENT BALL PART #
11616	2"	7,000 LB	3,000	16,000	11632
11617	2-5/16"	12,000 LB	3,000	16,000	11633



**Adjustable 3-Position Lunette Ring**  
**11635**

Forged ring 6" OD, 2-3/4" ID, 3-5/8" outside  
bracket width, 3" inside bracket width,  
1,800 lb. vertical load, 12000 lb. tow rating




**Combination Pintle Hooks - 1 Piece, Solid Shank**

PART #	BALL SIZE	BALL CAPACITY	TW (LB)	GTW (LB)	REPLACEMENT BALL PART #
11715	1-7/8"	2,000 LB	1,200 LB	12,000 LB	11631
11716	2"	7,000 LB	1,200 LB	12,000 LB	11632



**PINTLE HOOKS**

PART #	CAPACITY	TW (LB)	GTW (LB)
11618	5 TONS	2,000 LB	10,000 LB
11619	15 TONS	6,000 LB	30,000 LB
11620	10 TONS	4,000 LB	20,000 LB
11621	20 TONS	9,000 LB	40,000 LB



**Pintle Hooks - Solid Shank**  
**11720**

Fits 2" receivers. TW 2000 lb.  
Hook capacity 30000 lb.

**EZ-Clips \$ 14.00 /PACK OF 25**

PRICE	PART #	DESCRIPTION	WIRE Ø	PKG. QTY.
\$ 0.56 EA.	66265	CLEAR ZINC PLATED FINISH	0.148"	25





### "Swing-Way" Jacks with Caster Wheels

Black powder coated finish. Perfect for use on tow trailers of various coupler heights. Heavy duty swivel mechanism swings and locks jack to transport position. Pull-type locking pin secures jack into load-bearing position. Supplied with bolt reinforced caster and mounting bracket. Fits tongues up to 3" x 5".

Part #	SUPPORT CAPACITY	MAX LIFT CAPACITY	CASTER WHEEL	LIFT	BRACKET HEIGHT	RETRACTED HEIGHT	EXTENDED HEIGHT
11466	1600 lb	1200 lb	6"	10"	12-3/4"	23-1/4"	33-1/4"
11467	2000 lb	1500 lb	8"	10"	12-3/4"	25-1/2"	35-1/2"



### Side Wind, Square Tube Mount

Robust internal gear mechanism & heavy duty rolled threads for smooth operation. Equipped with removable cover, grease fittings, 4-position mounting tube and lock-pin. Black enamel painted finish.

Part #	SUPPORT CAPACITY	MAX LIFT CAPACITY	LIFT	BRACKET HEIGHT	BRACKET TYPE	RETRACTED HEIGHT	EXTENDED HEIGHT
11510	2800 lb	2000 lb	10"	9"	PIPE	19-1/2"	29-1/2"
11515	2800 lb	2000 lb	15"	15"	PIPE	23-1/2"	38-1/2"



### Round Tube Mount Jacks, Top Wind

Robust internal gear mechanism and heavy duty rolled threads for smooth operation and dependability. 4-position mounting tube, lock-pin and handle. Black enamel painted finish.

Part #	SUPPORT CAPACITY	MAX LIFT CAPACITY	LIFT	BRACKET HEIGHT	BRACKET TYPE	RETRACTED HEIGHT	EXTENDED HEIGHT
11468	6500 lb	5000 lb	10"	10"	PIPE	15"	25"
11469	6500 lb	5000 lb	15"	15"	PIPE	20-1/4"	35-1/4"



### Top Wind, Square Tube Mount

Robust internal gear mechanism & heavy duty rolled threads for smooth operation. Equipped with removable cover, grease fittings, 4-position mounting tube and lock-pin. Black enamel painted finish.

Part #	SUPPORT CAPACITY	MAX LIFT CAPACITY	LIFT	BRACKET HEIGHT	BRACKET TYPE	RETRACTED HEIGHT	EXTENDED HEIGHT
11520	2800 lb	2000 lb	10"	10"	PIPE	19"	29"
11525	2800 lb	2000 lb	15"	10"	PIPE	23"	38"
11535	6000 lb	5000 lb	15"	15-3/4"	PIPE	22"	37"



### Side Wind, Round Tube Mount (7-1/2" x 4" Base Plate)

Robust internal gear mechanism and heavy duty rolled threads for smooth operation and dependability. 4-position mounting tube, lock-pin and handle. Black enamel painted finish.


Part #	SUPPORT CAPACITY	MAX LIFT CAPACITY	LIFT	BRACKET HEIGHT	BRACKET TYPE	RETRACTED HEIGHT	EXTENDED HEIGHT
11472	6500 lb	5000 lb	15"	14"	PIPE	22"	37"
11473	6500 lb	5000 lb	10"	9"	PIPE	16-1/2"	26-1/2"



### Square Tube "Drop Legs" Jack

Robust 2-1/2" square tube "weld-on" construction. Drop leg adjusts 13" in addition to lift. Features grease fitting for lubrication of mechanism. Black enamel painted finish.

Part #	SUPPORT CAPACITY	MAX LIFT CAPACITY	TYPE	TOTAL TRAVEL	LIFT	RETRACTED HEIGHT	EXTENDED HEIGHT
11487	8000 lb	7000 lb	TOP WIND	28"	15" + 13"	22"	50"
11488	8000 lb	7000 lb	SIDE WIND	28"	15" + 13"	24-1/2"	52-1/2"



### Side Wind, Round Tube Mount (8" x 6" Base Plate)


Robust internal gear mechanism and heavy duty rolled threads for smooth operation and dependability. 4-position mounting tube, lock-pin and handle. Black enamel painted finish.

Part #	SUPPORT CAPACITY	MAX LIFT CAPACITY	LIFT	BRACKET HEIGHT	BRACKET TYPE	RETRACTED HEIGHT	EXTENDED HEIGHT
11474	8400 lb	7000 lb	10"	9"	PIPE	17"	27"
11479	6500 lb	5000 lb	15"	15"	PIPE	22-1/2"	37-1/2"



### Top Wind without Base or Wheel

Part #	SUPPORT CAPACITY	MAX LIFT CAPACITY	LIFT	BRACKET HEIGHT	RETRACTED HEIGHT	EXTENDED HEIGHT
11492	6000 lb	5000 lb	15"	8-1/2"	20"	35"
11493	6000 lb	5000 lb	15"	10"	21"	36"



### Round Tube Swivel Bracket Mount Jacks, Top Wind

Robust internal gear mechanism and heavy duty rolled threads for smooth operation and dependability. 4-position mounting tube, lock-pin and handle. Black enamel painted finish.

Part #	SUPPORT CAPACITY	MAX LIFT CAPACITY	LIFT	BRACKET HEIGHT	BRACKET TYPE	RETRACTED HEIGHT	EXTENDED HEIGHT
11470	2800 lb	2000 lb	10"	8-1/2"	FLANGE	15"	25"



### SLIDE IN 2 RUNG STEPS MO523200

2-Rung Black Black Powder-Coated Retractable Truck Step. Each step has non-slip treads and is ideal for truck and trailers.

The slide-in horizontal storage avoids interference with toolboxes, reservoirs, and more. The structural steel steps are available in stainless steel or black powder-coated steel. Steps can be bolted or welded on for installation options.



### RETRACTABLE ONE-RUNG TRUCK STEP MORS1

RETRACTABLE ONE-RUNG TRUCK STEP. Compact one-rung design has non-slip treads. Each step bolts onto vehicle for easy installation. Features a black powder coat for corrosion resistance and durability.

The step mounts beneath the bed of the truck with an "L" shaped bracket and has a .563 in. diameter mounting hole. Mounting holes are 14 in. center-to-center. Product Common Use: Truck Step, Trucks, Trailers, Agriculture.



**Weld-On Mounting Bracket 11513**



**Mounting Tube**  
**11500** External 2-1/2" ID  
**11501** Internal 2" OD



**Internal Thread Trailer Balls**  
 Solid steel. Bright chrome plated finish. Meets or exceeds VESC V-5 safety specifications.

Part #	Ball Ø	Shank Ø	Shank Length	G.L.R. Lbs.
11148	1-7/8"	3/4"	2"	2,000
11149	2"	3/4"	2"	3,500



**External Thread Trailer Balls**  
 Solid steel. Bright chrome plated finish. Meets or exceeds VESC V-5 safety specifications.

Part #	Ball Ø	Shank Ø	Shank Length	G.L.R. Lbs.
11151	1-7/8"	3/4"	1-1/2"	2,000
11152	2"	3/4"	2"	3,500
11153	2"	1"	2-5/8"	5,000
11154	2-5/16"	1"	2-5/8"	5,000
11155	2-5/16"	1-1/4"	2-5/8"	10,000
11258	2"	1-1/4"	2-1/4"	8,000



**Long Shank External Thread Trailer Balls**  
 Solid steel. Bright chrome plated finish. Meets or exceeds VESC V-5 safety specifications.

Part #	Ball Ø	Shank Ø	Shank Length	G.L.R. Lbs.
11251	1-7/8"	3/4"	3-1/4"	2,000
11252	2"	3/4"	3-1/4"	3,500
11257	2"	1"	3-1/4"	5,000



**Extra Lift External Thread Trailer Balls**  
 Solid steel. Bright chrome plated finish. Meets or exceeds VESC V-5 safety specifications. 1" rise height

Part #	Ball Ø	Shank Ø	Shank Length	G.L.R. Lbs.
11253	2"	2-5/8"	2-5/8"	3,500
11255	2-5/16"	1-1/4"	2-1/4"	7000



**Heavy Duty External Thread Trailer Balls**  
 Solid steel. Black powder coated finish. Meets or exceeds VESC V-5 safety specifications. 2-5/16" ball Ø

Part #	Rise Height	Shank Ø	Shank Length	G.L.R. Lbs.
11259	STANDARD	1-1/4"	2-5/8"	30,000
11260	1"	1-1/4"	2-5/8"	30,000
11261	2"	1-1/4"	2-1/2"	30,000

**Hitch Adapters** Ideal for cargo carriers and bike carriers. Black powder coated finish. *Not to be used for towing.*

**11785** Decrease receiver opening from 2-1/2" to 2", 5/8" pin, 5" in length.  
**11786** Decrease receiver opening from 2" to 1-1/4", 5/8" pin hole, 3-1/2" length.  
**11787** Increase receiver opening from 1-1/4" to 2", GTW 3500 lb  
**11789** 8-1/2" Length, fits 2" receivers.

**Spring Latch**  
 SPRING LATCH L-SHAPE 4" HANDLE  
**23058**


**Step Bumper Receiver**  
**11782** fits 2" receivers TW 500 lb. GTW 5000 lb.

**Receiver Tubes**  
 Powder coated black finish. Welded. Fits 2" receivers

**11770** 6" LENGTH  
**11772** 18" LENGTH  
**11773** 24" LENGTH  
**11775** 48" LENGTH

**Adjustable Tow Bar 11880** Class III, 5,000 lb GVW






**2 Way Flat Connector 27002**

12" 18 ga. white & yellow wires.



**RV, Marine & Utility LED Lighting Kit 11980**

Submersible up to 80" depth, 4-pole flat connector. Includes: 2 rectangular LED lights, mounting hardware & connectors.



**4 Pole Flat Connectors 27004**

18 ga wire - 12" male, 48" female, 18" ground.



**7 Way Plug And Socket 27046**

7-way blade. With cover, ABS housing with red reflector. Trailer & vehicle side.



**4 Pole Flat Loop Trailer Connector - Heavy Duty 27010**

Heavy duty. 48" 18 ga. wires.



**7 Way Socket 27048**

7-way blade socket. Plastic housing with red reflector. Vehicle side.




**7 Way Plug 27050**

7-way blade flat plug. Plastic housing. Trailer side.



**7 Way Socket / 4-Way Plug Set 27052**

7-way blade socket with cover. 4-way flat plug & Direct wiring. Vehicle side.



**7 Way Socket Led & 4-Way Plug With LEDs 27056**

7-way pre-wired blade socket with cover. 4-way flat plug. 6 LED indicator. Vehicle side & Mounting Kit.



**7 Way Plug - Heavy Duty 27060**

7-pole round plug. Heavy duty die cast housing. Trailer side.



**7 Way Plug 27064**

7-pole round plug. Nylon with fiberglass housing. Trailer side.



**7 Way Socket - Heavy Duty 27062**

7 pole round socket with cover. Vehicle side.




**7 Way Socket 27066**

7-pole round socket with cover. Nylon with fiberglass housing. Vehicle side.




**5 Pole Flat Connectors 27024**

5-pole heavy duty connector loop. 48" 18 ga. wires.



**5 Pole Flat Connectors 27020**

Male connector plug. with 48" of 18 gauge wire.



**5 Pole Flat Connectors 27022**

Female connector socket. with 48" of 18 gauge wire.



**4 Pole Round Plug & Socket 27015**

Die cast, chrome plated housing. Trailer & Vehicle side.



**6 Way Round Plug & Socket 27030**

Heavy duty die cast housing.



**Mounting Bracket For 7 Way Trailer Connectors 27040**



**7 Way Blade Plug 27044**

Zinc plated metal housing. Trailer side.




**6-pole Round Socket & Cover 27034**

HD die cast housing, vehicle side.



**7 Way Socket 27042**

Zinc plated metal housing. Vehicle side, with cover



**HD 7 Way Socket**  
27068

7-pole round heavy duty socket. 3 hole mounting.



**4 Way In-Line Adapter**  
27076

Trailer Connector Set, 4-way in-line adapter with cover.



**Trailer Connector Adapters**  
27078

6-way round to 4-way flat.



**Trailer Connector Adapters**  
27080

7-pole round to 4-way flat.



**Trailer Connector Adapters**  
27082

7-way blade to 6-way round. Center pin auxiliary.



**Trailer Connector Adapters**  
27084

7-way blade to 4-way flat.



**Trailer Connector Adapters**  
27086

7-way blade plug to 6-way round socket, 5-way flat, and 4-way flat.



**Trailer Connector Adapters**  
27088

7-pole blade plug to 7-pole round socket. Heavy duty.




**4 Way Flat Connector (Adapter)**  
27090

Tail Light Adapter. 4 way 3 amp flat connector with cover. Supplied with 18 gauge bonded wiring.



**4 Way Flat Tester With LEDs**  
27092

4-way flat tester with 3 LEDs indicator and ring.



**4 Way And 5 Way Flat Tester With LEDs**  
27093

4-way and 5-way flat tester with 4 LEDs indicator and cover.



**7 Way Blade Tester With LEDs**  
27096

7-way blade tester with 6 LEDs indicator.




**Breakaway Switch With Lanyard**  
27098

With 4 ft. of 16 gauge wire. Metal bracket included.



**Channel Trailer Couplers** Features large trigger-action latch designed for ease of operation. Zinc Plated Finish. Stamped steel construction. Easy to install. S.A.E. Class 2



Part #	BALL SIZE	CHANNEL SIZE	G.L.R. LBS.
11157	1-7/8"	2-1/2"	2000
11158	1-7/8"	3"	2000
11159	2"	2-1/2"	3500
11160	2"	3"	3500



**Adjustable Trailer Couplers** Carbon steel

Part Number	Ball	Tongue size	Max. Gross Size	Dimensions Load
11864	2"	1000 lbs.	10000 lbs.	9" L x 5-1/2" W
11865	2-5/16"	1400 lbs.	14000 lbs.	9-1/4" L x 5-3/4" W

**A-Frame Trailer Couplers** Features large trigger-action latch designed for ease of operation. Zinc plated finish. Stamped steel construction. Easy to install



Part #	BALL SIZE	G.L.R. LBS.
11162	2-5/16"	10000



**Adjustable Brackets** Designed for adjustable couplers

Part Number	Length	Hole Ø	Capacity lbs.	Description
11866 <sup>1</sup>	1-1/2"	5/8"	16,000	12 hole (6 pairs)
11867	7-1/2"	5/8"	16,000	8 hole (4 pairs)



# It's FREE Days



# With FLEXOVIT!

**WE HAVE ABSOLUTE CONFIDENCE IN THE PRODUCTS WE SELL, AND WHEN YOU BUY THEM, WE WANT YOU TO BE CONFIDENT TOO. THAT'S WHY WE ARE GIVING AWAY A 3 PACK OF FLEXOVIT GRINDING DISCS FOR FREE\*!**



Your FREE 3 Pack Includes:

- 1 Type 27 Cutoff Wheel
- 1 Type 27 All Purpose Grinding Wheel
- 1 Grinding, Blending & Finishing Flap Disc

**FREE YETI Tumbler With Every \$500 FLEXOVIT Order**




\*To Receive Your Sample Pack email marketing@redl.com indicating preference of 5" or 6". While quantities last. 3 Pack to be picked up at nearest Red-L Branch. Yeti Tumbler limited to 3 per customer.

## ALL FLEXOVIT GRINDING DISCS ON SALE!

### Customer Testimonial

"Last week I had Rick from Flexovit out meeting clients with me; and he was awesome about leaving samples with our customers.

With each sample left with our customer, all we asked was that they give it an honest try and let us know what they thought of the FLEXOVIT product line.



One customer told us that they would indeed give us their honest opinion and that they would be using the flap wheels right away. Here is a picture of our customers comparison.

The customer called before the end of the day to tell me that before we got there they finished the inside of a tank using up 2 complete competitors discs. They had an identical tank to do in the afternoon and used the Flexovit discs. As you can see they did not even use up an entire disc. So needless to say they are super impressed. They used half the product and he shared that it took 25% less time to finish." Corrina Bell - Lloydminster

Part Number	Description	Regular List Price	Sale Price
32432	5IN X 7/8IN ZA 36 BLENDING DISK	\$ 2.47	\$ 1.54
33231	SANDSTROM CG PLUS 5IN 24 GRIT SAND DISC	\$ 6.02	\$ 3.75
33232	SANDSTROM CG PLUS 5IN 36 GRIT SAND DISC	\$ 5.71	\$ 3.56
33233	SANDSTROM CG PLUS 5IN 50 GRIT SAND DISC	\$ 5.33	\$ 3.32
33235	SANDSTROM CG PLUS 5IN 80 GRIT SANI ISC	\$ 4.76	\$ 2.96
A1580	5X.040X7/8 A60RRT-27 CUTOFF WHEEL	\$ 7.22	\$ 4.50
A1581	5X.045X7/8 T-27 A60SST-27 CUT OFF WHEEL	\$ 7.55	\$ 4.71
A1737	TYPE 27 5INX7/8INX1/8IN CUT OFF DISK	\$ 7.42	\$ 4.62
A2236	5X1/4X7/8 T-27 A30S GRINDING DISC	\$ 8.42	\$ 5.25
A2237	ET A30S 5INX1/4INX7/8IN GRINDING WHEEL	\$ 10.82	\$ 6.74
A3236	6" X 1/4" X 7/8" TYPE 27 GRINDING WHEEL	\$ 10.78	\$ 6.72
C1107	WIRE WHEEL 5-7/8IN STRINGER BEAD	\$ 47.42	\$ 29.55
F0310	TYPE 1 3IN X .035IN X 3/8IN	\$ 4.80	\$ 2.99
F0320	A46T 3X1/16X3/8 C/O WHL MET DIE GRIND	\$ 4.80	\$ 2.99
F1406	TYPE 1 5IN X .040 X 7/8	\$ 6.73	\$ 4.20
F1706	6X.040X7/8 CUT OFF WHEEL A60RRT	\$ 7.62	\$ 4.75
F1707	6X.045X7/8 CUT OFF T-1 A60SST	\$ 7.95	\$ 4.96
F5521	14X3/32X1 T-1 A30RB CUTOFF REINFORCED	\$ 24.26	\$ 15.12
S7380	5 X 1/8 X 7/8 FLEXCEL, SEMI FLEXIBLE	\$ 11.82	\$ 7.37
Z6000NT	6X5-8-11 FLAP DISC T-29 ZA40	\$ 16.42	\$ 10.23
Z6005NT	6X5/8-11 FLAP DISC T-29 ZA60	\$ 16.42	\$ 10.23

1-800-252-9390



780-437-2630

55

## SMOKIN' HOT CHANCE TO WIN!

Buy **\$500.00** worth of Hydrotec and or Hydra-Flex and be entered into a draw for a Louisiana Grills - 800 Label Series Grill w/ WIFI Control

- Minimum purchase of **\$500.00** before tax of Hydrotec and or Hydra-Flex products to qualify,
- For every **\$500.00** of Hydrotec and or Hydra-Flex products purchased, receive one ballot to be entered into draw.
- Effective: **February 1<sup>st</sup> - June 30<sup>th</sup>, 2024**
- Draw Date: **July 2<sup>nd</sup>, 2024**



## Prize Value \$1300



### LOUISIANA GRILLS - 800 BLACK LABEL SERIES GRILL WITH WIFI CONTROL

#### FEATURES:

- 809 SQUARE INCHES
- 18-POUND HOPPER
- 180 TO 600F TEMPERATURE RANGE
- HEAVY-DUTY 14-GAUGE STEEL CONSTRUCTION
- HIGH-TEMPERATURE BLACK SAND POWER COAT FINISH
- SOLID STEEL FOLDING FRONT SHELF
- SOLID STEEL BOTTOM SHELF
- FOUR LOCKING CASTER WHEELS
- BLACK NICKLE-PLATED STAINLESS-STEEL HANDLES

#### SPECS:

890 SQ. IN AREA. 289 SQ. IN TOP RACK. 520 SQ. IN BOTTOM RACK. 18 LB HOPPER. 45.7" WIDTH. 46.1" HEIGHT. 32.4" DEPTH. 164 DRY WEIGHT



# LUCAS OIL PRODUCTS



*Keep that engine alive!*



# POLAR/SOLAR EXTENSION CORDS

GET POWER WHERE YOU NEED IT.  Southwire®				
	JACKET MATERIAL	JACKET MATERIAL	JACKET MATERIAL	JACKET MATERIAL
	STANDARD PVC	OIL RESISTANT RUBBER	TPE	PREMIUM TPE
	JACKET TYPE	JACKET TYPE	JACKET TYPE	JACKET TYPE
	SJTW/STW	SJ00W	SJE00W	SJE0W
	APPLICATION	APPLICATION	APPLICATION	APPLICATION
GENERAL OUTDOOR USE	HARSH GARAGE, WELDING, & AGRICULTURAL ENVIRONMENTS	COLD OR HOT OUTDOOR ENVIRONMENTS	EXTREME COLD OR HOT OUTDOOR ENVIRONMENTS	
TEMPERATURE RANGE	TEMPERATURE RANGE	TEMPERATURE RANGE	TEMPERATURE RANGE	
-40°F TO 140°F	-40°F TO 195°F	-58°F TO 221°F	-94°F TO 221°F	
				

## All Weather All Temperature EXTENSION CORDS

<b>POLAR</b>	
1487SW0002	10 ft
1488SW0002	25 ft
1489SW0002	50 ft
<b>SOLAR</b>	
1687SW0002	10 ft
1688SW0002	25 ft
1689SW0002	50 ft
3487SW0002	100 ft

## SAFETY

### TUFF GRADE Safety Glasses CSA Certified Z94.3-07 • 12/case

- Lightweight wrap-around design • Scratch resistant coating • Molded Nose-Piece • Frameless Polycarbonate lens



**TGSG001**

Clear Frame, Clear anti-fog Lens



**TGSG002**

Clear Frame, Clear Lens



**TGSG003**

Black Frame, Grey Lens



**TGSG004**

Clear Frame, Indoor/Outdoor Lens



### Alberta Personal First Aid Kit In Nylon Pouch FAKALTPBN

Size: 5.00 x 2.00 x 4.00 In  
Weight: 2.50 Lb





# POPULAR HAND TOOLS



**710230**  
Aluminum Pipe Wrench Moly  
Jaw 24"



**710250**  
24" Aluminum Pipe Wrench



**020405**  
18" Steel Pipe Wrench



**020406**  
24" Steel Pipe Wrench Hook Jaw



**020407**  
36" Steel Pipe Wrench Hook Jaw



**020236**  
Adjustable Chrome Vanadium 3pc  
Wrench Set



**711115**  
12" Adjustable Chrome Vanadium  
Wrench



**022020**  
1"X25' SAE/Metric Tape  
Measure



**023005**  
Adjustable Tubular Steel  
Hacksaw Frame

**740532**  
4lb Sledge Hammer Fibre Glass  
Handle

**740533**  
6lb Sledge Hammer Fibre Glass  
Handle



**740581**  
4lb x 12" Indestructible Sledge  
Hammer



**740589**  
14lb x 30" Indestructible Sledge  
Hammer



**775912**  
165" Fibreglass SAE/Metric Tape Reel



**022623**  
24oz Ball Pein Fibreglass Handle  
Hammer



**022651**  
3LB Drilling Fibreglass Handle  
Hammer



**740952**  
3lb Brick Drilling Fibre Glass  
Handle



**740915**  
48oz Dead Blow High Visibility Or-  
ange Hammer



**0740403**  
16oz Rubber Mallet



**740407**  
32oz Rubber Mallet



**700121**  
16pc SAE Raised Panel Combina-  
tion Wrench Set



**INDUSTRIAL CLEAN & SHINE SALE**



**AR-200**

**ALUMINUM BRIGHTENING ACID REPLACEMENT**



**APPLICATIONS**

**SURFACES:**

- ALUMINUM TANKS
- TRUCK AND TRAILER
- STAINLESS STEEL AND CHROME
- ACID PRE-SOAK
- TOUCHLESS WASH BAYS
- ALUMINUM COOLING FINS

**CONTAMINANTS:**

- MINERAL DEPOSITS
- OXIDATION
- HARD WATER DEPOSITS
- SCALE

- NON-CORROSIVE TO SKIN
- READILY BIODEGRADABLE
- PHOSPHATE FREE
- NON-CARCINOGENIC
- NO VOC'S
- LOW FUMING
- LOW ODOR
- SAFE ON MOST METALS

**SPECIFICATIONS AND PROPERTIES**

FLASH POINT: NOT APPLICABLE  
 PHYSICAL STATE: CLEAR LIQUID  
 FLAMMABLE: NO  
 pH: 1.9  
 SOLUBILITY: 100% IN WATER

HEALTH: 2

FLAMMABILITY: 0

REACTIVITY: 0

PPE: B



AR-200-20 - 20L

Was \$135

Now \$99

AR-200-200 - 208L

Was \$1181

Now \$899

**RW-300**

**RIG WASH**



**APPLICATIONS**

**SURFACES:**

- DRILLING RIGS AND EQUIPMENT
- INDUSTRIAL MACHINE SHOPS
- FABRICATION SHOPS
- PUMPS AND TOOLS
- SAFE ON PAINTED SURFACES
- AUTOMOTIVE AND FLEET

**CONTAMINANTS:**

- OIL, GREASE AND LUBRICANTS
- SOIL AND STAINS
- CARBON DEPOSITS
- ORGANIC MATERIALS
- TAR AND ASPHALTENES

- RAPIDLY PENETRATES AND EMULSIFIES GREASY SOILS
- READILY BIODEGRADABLE
- EASILY RINSED WITH WATER
- LOW AQUATIC TOXICITY
- ECONOMIC CONCENTRATE
- DOT NON-REGULATED
- NON-TOXIC
- NON-FLAMMABLE
- PHOSPHATE FREE
- NO VOCS

**SPECIFICATIONS AND PROPERTIES**

FLASH POINT: NOT APPLICABLE  
 PHYSICAL STATE: BLUE LIQUID  
 FLAMMABLE: NO  
 pH: 12.9  
 SOLUBILITY: 100% IN WATER

HEALTH: 2

FLAMMABILITY: 0

REACTIVITY: 0

PPE: B



RW-300-20 - 20L

Was \$70

Now \$50



# HD-500

## HEAVY DUTY DEGREASER



### APPLICATIONS

#### SURFACES:

- HEAVY EQUIPMENT (MINING, OILFIELD AND CONSTRUCTION)
- MOTORS, ENGINES AND TOOLS
- PIPELINE EQUIPMENT
- DRILLING EQUIPMENT
- VEHICLE AND EQUIPMENT PRE-SOAK
- PARTS WASHING
- SHOP FLOORS AND WALLS

#### CONTAMINANTS:

- INDUSTRIAL GREASE AND LUBRICANTS
- HYDRAULIC, MOTOR AND GEAR OIL
- CARBON DEPOSITS
- BUGS AND WAX

- EXCEPTIONAL HEALTH & ENVIRONMENT SAFETY
- READILY BIODEGRADABLE
- NO BUTYL OR NONYLPHENOL ETHOXYLATES
- NON-CARCINOGENIC
- NON-SENSITIZING
- SUPERIOR RINSING PROFILE
- SAFE ON PAINT AND METALS
- ABILITY TO DILUTE TO SUIT APPLICATION
- NO SPECIAL PPE REQUIRED

### SPECIFICATIONS AND PROPERTIES

FLASH POINT: NOT APPLICABLE  
 PHYSICAL STATE: BLUE LIQUID  
 FLAMMABLE: NO  
 pH: 12.5  
 SOLUBILITY: 100% IN WATER

HEALTH: 1

FLAMMABILITY: 0

REACTIVITY: 0

PPE: A



HD-500-20 - 20L

Was \$96.68

Now \$75

HD-500-200 - 208L

Was \$851

Now \$699

# HP-250

## PREMIUM HIGH FOAMING- PRESSURE WASH



### APPLICATIONS

#### SURFACES:

- VEHICLE AND EQUIPMENT CLEANING
- HIGH PRESSURE WASHERS
- HIGH FOAMING
- LONGER D'WELL TIME
- ALL METALS AND ALLOYS
- VINYL, PLASTIC AND GLASS SAFE

#### CONTAMINANTS:

- ROAD FILM AND SOILS
- ORGANIC MATERIALS

- EXCELLENT HEALTH & ENVIRONMENT SAFETY
- READILY BIODEGRADABLE
- PHOSPHATE FREE
- NON-CARCINOGENIC
- NON-SENSITIZING
- SUPERIOR RINSING PROFILE
- SAFE ON ALL SURFACES
- ECONOMICAL CONCENTRATE
- NO SPECIAL PPE REQUIRED

### SPECIFICATIONS AND PROPERTIES

FLASH POINT: NOT APPLICABLE  
 PHYSICAL STATE: YELLOW LIQUID  
 FLAMMABLE: NO  
 pH: 12.9 SOLUBILITY: 100% IN WATER

HEALTH: 2

FLAMMABILITY: 0

REACTIVITY: 0

PPE: B



HP-250-20 - 20L

Was \$120

Now \$95

HP-250-200 - 208L

Was \$999

Now \$759

# BR-100

## BUG & SAP Remover



### APPLICATIONS

- Glass, Plastics, Rubber
- Chrome and trim
- Aluminum
- Checker Plate
- Safe on All Metals

Great for removing:

- Bug
- Sap
- Bird Mess

Pre-spray to soften and loosen affected area. BR-100 Can also be used as an effective fire cleaner pre-spray

BR-100 is a highly concentrated pre-spray designed to effectively and safely loosen and remove bug residue. BR-100 is a user friendly formula which is safe for use on all painted surfaces while possessing superior penetration and particulate removal properties, with excellent rinsing properties.

This product is classified as a non-skin sensitizer and a non-acid, containing no solvents, phosphates, or butyl.



### SPECIFICATIONS AND PROPERTIES

FLASH POINT: NOT APPLICABLE  
 PHYSICAL STATE: RED LIQUID  
 FLAMMABLE: NO  
 PH: 9.2

HEALTH: 1	FLAMMABILITY: 0
REACTIVITY: 0	PPE: A



BR-100-20 - 20L

Was \$80

Now \$60

BR-100-200 - 208L

Was \$555

Now \$450



# AP-300

## ALL-PURPOSE CLEANER



### APPLICATIONS

#### SURFACES:

- GENERAL SHOP CLEANING
- FLOOR AND CONCRETE
- OFFICE AND HOUSEHOLD
- ALL METALS AND ALLOYS
- VINYL, PLASTIC AND FABRIC
- EQUIPMENT AND VEHICLE INTERIORS

#### CONTAMINANTS:

- LIGHT OIL, GREASE AND LUBRICANTS
- SOIL AND STAINS
- CARBON DEPOSITS
- ORGANIC MATERIALS

**AP-300** IS AN OPTIMIZED ALL-PURPOSE FORMULA WITH APPLICATION POTENTIAL IN ANY INDUSTRY WHERE AN EFFECTIVE, VERSATILE CLEANER IS REQUIRED. **AP-300** IS A WATER BASED CLEANER THAT QUICKLY AND SAFELY REMOVES OILS, GREASE, SOIL AND STAINS FROM ANY SURFACE. **AP-300** IS A MILD, EXTREMELY SAFE PRODUCT THAT CAN BE USED ON ANYTHING FROM FABRIC TO HEAVY EQUIPMENT WITH THE CLEANING EFFICACY OF MUCH MORE HAZARDOUS CLEANERS.

### SPECIFICATIONS AND PROPERTIES

FLASH POINT: NOT APPLICABLE  
 PHYSICAL STATE: GREEN LIQUID  
 FLAMMABLE: NO  
 pH: 9.2  
 SOLUBILITY: 100% IN WATER

HEALTH: 1	FLAMMABILITY: 0
REACTIVITY: 0	PPE: A



AP-300-20 - 20L

Was \$79

Now \$60

AP-300-200 - 208L

Was \$589

Now \$450







“The **Hose People Plus**”



**Red-L Distributors Ltd.**

[www.redl.com](http://www.redl.com)

1.800.252.9390

Bonnyville 780.826.2333  
Bonnyville@redl.com

Edmonton west 780.451.2820  
redlnorth@redl.com

Fort McMurray 780.791.0404  
ftmac@redl.com

Grande Prairie 780.814.6010  
gp@redl.com

Nisku HQ 780.437.2630  
Sales@redl.com

Whitecourt 780.778.5119  
whitecourt@redl.com

Calgary 403.720.2872  
calgary@redl.com

Edmonton south 780.431.8643  
redlsouth@redl.com

Fort St. John 778.715.2909  
fortstjohn@redl.com

Lloydminster 780.871.0766  
Lloydminster@redl.com

Red Deer 403.346.4673  
reddeer@redl.com

[www.redl.com](http://www.redl.com)  
1.800.252.9390

Prices are subject to change without notice and do not include freight or taxes, the numbers used by Red-L Distributors Ltd. do not necessarily indicate the source of manufacture, but may instead be part numbers used by Red-L Distributors Ltd. only, Red-L reserves the right to substitute equal product quality for items ordered, images may not be an exact likeness, errors are subject to correction. Red-L, the Red-L logo, "The Hose People Plus" are property of Red-L Distributors Ltd. and or their affiliated companies. All other logo's, marks, images and registrations are the Intellectual Property of their respective owners. **Offering effective May 01- October 01, 2024**



Approved Supplier

**Spring/Summer 2024**