



2024

OWN YOUR OWN CONTINENTAL PORTABLE CRIMPER - ELITE PROGRAM

Own Your Own Continental Portable Crimper Requirements

FREE PC125M-RCD Portable Series Crimper
 with a \$6500.00 minimum order of any Continental items in this brochure.
 While quantities last, prices subject to change



PC125M-RCD crimper comes with 5 dies & air/hyd pump
\$4,700.00 value

Features

Portable rugged steel frame & strain rods provide strength, stability, and performance for all crimping service

Micrometer is fully adjustable for a precise crimp

Easy Lubrication Maintenance

Ideal notched pressure plate when crimping 90° fittings

ADJUSTABLE RETRACTION STOP
 Limits ram retraction to only the amount required to remove the hose and coupling, saving time on multiple repetitive crimps

Open design allows the operator to accurately position the fitting prior to crimping

LED indicator light will turn on to indicate that the crimp is complete

Description: The PC125M-RCD crimper can be carried to the jobsite with a handle and support stand, making this crimper ideal for portable crimping requirements. Whether carried on-site, used in a vehicle or even stationary at the shop, the PC125M-RCD is designed as a low volume crimper for occasional use. The crimp diameter is set and controlled with an easy-to-read T420 micrometer. This affordable crimper is packaged in component parts to fit the needs of the user.

The PC125M-RCD standard package includes: T420 micrometer, adjustable retraction stop, LED light indicator, removable pusher, standard pressure plate, notched pressure plate, Continental digital caliper, die removal magnet, and CRIMPX die lubricant oil w/ dauber cap.

- SAP # 20821206
- Capability: -20: B2 Fittings, up to 1" two wire only
 Dies for Spiral hose are available – extra charges will apply
- Crimping Force: 60 Ton
- Weight : 85 lbs. (crimper only)
- Dimensions : 17" L x 10-1/4" W x 18-1/2" H
- Die Series : PC125RCD
- Die Sizes (MM): 16, 19, 23, 31, 41 (included)



Pneumatic Pump included: SAP # 20244932
 10,000 PSI. 100 cu in (1,639 cc) Reservoir capacity



Arctic® LR16SC 1/4" to 1"



LR16SC Arctic® LR16SC is made for high-pressure service with tight bends for petroleum and water-based hydraulic fluids. It has excellent impulse performance and flexibility exceeding SAE 100R2 and SAE 100R16 standards.

Marking: Continental ARCTIC® LR16SC-size SAE 100R16 / EN 857 2SC size" (DNsize) WP PSI / MPa XXX BAR MSHA 2G-1C-14C/41 MADE IN USA

Price/ft	Part #	Description
3.98	LR16SC-04	1/4" 2WB 5800PSI HYD HOSE
4.64	LR16SC-06	3/8" 2WB 5000PSI HYD HOSE
5.24	LR16SC-08	1/2" 2WB 5000PSI HYD HOSE
7.22	LR16SC-10	5/8" 2WB 4000PSI HYD HOSE
7.78	LR16SC-12	3/4" 2WB 3500PSI HYD HOSE
12.09	LR16SC-16	1" 2WB 3000PSI HYD HOSE

Inner Tube: Black nitrile synthetic rubber
Reinforcement: Braided Steel 2 Wire
Cover: Black CR (Polychloroprene)
Temp. Range: -57°C to 100°C / -70°F to 212°F
Fitting Type: B2

B2 SERIES FITTINGS

MALE NPT

NPT Male Crimp Fitting Hose size X Thread size



Price	Part #	Hose x NPT
4.76	B2-NPM-0402	1/4 x 1/8
4.07	B2-NPM-0404	1/4 x 1/4
5.20	B2-NPM-0406	1/4 x 3/8
5.09	B2-NPM-0604	3/8 x 1/4
4.98	B2-NPM-0606	3/8 x 3/8
8.33	B2-NPM-0806	1/2 x 3/8
6.69	B2-NPM-0808	1/2 x 1/2
11.02	B2-NPM-0812	1/2 x 3/4
15.07	B2-NPM-1008	5/8 x 1/2
16.60	B2-NPM-1012	5/8 x 3/4
11.69	B2-NPM-1212	3/4 x 3/4
18.22	B2-NPM-1216	3/4 x 1
19.75	B2-NPM-1616	1 x 1

MALE SWIVEL NPMX

Hose size X Tube size



Price	Part #	Hose x NPT
11.04	B2-NPMX-0404	1/4 x 1/4
12.18	B2-NPMX-0606	3/8 x 3/8
16.35	B2-NPMX-0608	3/8 x 1/2
15.98	B2-NPMX-0808	1/2 x 1/2
25.42	B2-NPMX-1212	3/4 x 3/4
37.51	B2-NPMX-1616	1 x 1

ORFS FEMALE 45° TUBE BEND

Hose size X Tube size



Price	Part #	Hose x ORFS
12.24	B2-OFFX45-0404	1/4 - 1/4
31.66	B2-OFFX45-0406	1/4 x 3/8
16.84	B2-OFFX45-0606	3/8 x 3/8
18.86	B2-OFFX45-0608	3/8 x 1/2
19.84	B2-OFFX45-0808	1/2 x 1/2
23.78	B2-OFFX45-0810	1/2 x 5/8
29.42	B2-OFFX45-1010	5/8 x 5/8
36.93	B2-OFFX45-1212	3/4 x 3/4
48.33	B2-OFFX45-1616	1" x 1"

JIC FEMALE 45° TUBE BEND


Hose size X Tube size



Price	Part #	Hose x JIC F 45°
12.48	B2-JCFX45-0404	1/4 x 1/4
33.95	B2-JCFX45-0406	1/4 x 3/8
12.69	B2-JCFX45-0606	3/8 x 3/8
14.69	B2-JCFX45-0808	1/2 x 1/2
20.18	B2-JCFX45-0810	1/2 x 5/8
27.97	B2-JCFX45-1010	5/8 x 5/8
27.49	B2-JCFX45-1212	3/4 x 3/4
47.33	B2-JCFX45-1616	1 x 1

NPT FIXED FEMALE

Hose ID x Tube



Price	Part #	Hose x NPSM
6.82	B2-NPF-0404	1/4 x 1/4
7.67	B2-NPF-0606	3/8 x 3/8
13.27	B2-NPF-0808	1/2 x 1/2
17.24	B2-NPF-1212	3/4 x 3/4

ORFS FEMALE OFFX

Hose size X Tube size



Price	Part #	Hose x ORFS
7.53	B2-OFFX-0404	1/4 - 1/4
9.40	B2-OFFX-0406	1/4 x 3/8
9.40	B2-OFFX-0606	3/8 x 3/8
10.49	B2-OFFX-0608	3/8 x 1/2
11.75	B2-OFFX-0808	1/2 x 1/2
11.71	B2-OFFX-0810	1/2 x 5/8
15.64	B2-OFFX-1010	5/8 x 5/8
19.35	B2-OFFX-1012	5/8 x 3/4
21.29	B2-OFFX-1212	3/4 x 3/4
22.95	B2-OFFX-1216	3/4 x 1
30.49	B2-OFFX-1616	1 x 1

JIC FEMALE 90° TUBE BEND

Hose size X Tube size



Price	Part #	Hose x JIC F 90°
13.07	B2-JCFX90-0404	1/4 x 1/4
15.00	B2-JCFX90-0406	1/4 x 3/8
13.49	B2-JCFX90-0606	3/8 x 3/8
14.55	B2-JCFX90-0608	3/8 x 1/2
15.91	B2-JCFX90-0808	1/2 x 1/2
18.84	B2-JCFX90-0810	1/2 x 5/8
22.60	B2-JCFX90-1010	5/8 x 5/8
28.13	B2-JCFX90-1012	5/8 x 3/4
26.78	B2-JCFX90-1212	3/4 x 3/4
41.28	B2-JCFX90-1616	1 x 1

MALE JIC RIGID

Hose size X Tube size



Price	Part #	Hose x JIC
5.20	B2-JCM-0404	1/4 x 1/4
6.44	B2-JCM-0606	3/8 x 3/8
6.31	B2-JCM-0608	3/8 x 1/2
6.73	B2-JCM-0808	1/2 x 1/2
10.53	B2-JCM-0812	1/2 x 3/4
11.89	B2-JCM-1010	5/8 x 5/8
12.75	B2-JCM-1212	3/4 x 3/4
16.40	B2-JCM-1216	3/4 x 1
21.11	B2-JCM-1616	1 x 1

JIC FEMALE JCFX


Hose size X Tube size



Price	Part #	Hose X JIC
2.13	B2-JCFX-0404	1/4 x 1/4
6.73	B2-JCFX-0406	1/4 x 3/8
6.31	B2-JCFX-0606	3/8 x 3/8
7.87	B2-JCFX-0608	3/8 x 1/2
10.82	B2-JCFX-0610	3/8 x 5/8
9.44	B2-JCFX-0808	1/2 x 1/2
10.13	B2-JCFX-0810	1/2 x 5/8
13.00	B2-JCFX-0812	1/2 x 3/4
14.24	B2-JCFX-1010	5/8 x 5/8
15.04	B2-JCFX-1012	5/8 x 3/4
14.22	B2-JCFX-1212	3/4 x 3/4
26.62	B2-JCFX-1216	3/4 x 1
29.09	B2-JCFX-1612	1 x 3/4
24.71	B2-JCFX-1616	1 x 1

FEMALE SWIVEL NPTF

Hose size X Tube size



Price	Part #	Hose x ORB
12.47	B2-OBM-0606	3/8 x 3/8
9.24	B2-OBM-0808	1/2 x 1/2
17.07	B2-OBM-1010	5/8 x 5/8
13.53	B2-OBM-1212	3/4 x 3/4
26.00	B2-OBM-1616	1 x 1

Price	Part #	Hose x NPSM SWIVEL
7.78	B2-NSFX-0404	1/4 x 1/4
9.18	B2-NSFX-0606	3/8 x 3/8
12.29	B2-NSFX-0808	1/2 x 1/2
17.09	B2-NSFX-1212	3/4 x 3/4
29.44	B2-NSFX-1616	1 x 1

ORFS FEMALE 90° TUBE BEND

Hose size X Tube size



Price	Part #	Hose x ORFS F 90°
10.69	B2-OFFX90-0404	1/4 x 1/4
13.80	B2-OFFX90-0406	1/4 x 3/8
15.24	B2-OFFX90-0606	3/8 x 3/8
19.53	B2-OFFX90-0608	3/8 x 1/2
17.29	B2-OFFX90-0808	1/2 x 1/2
22.04	B2-OFFX90-0810	1/2 x 5/8
31.40	B2-OFFX90-1010	5/8 x 5/8
29.62	B2-OFFX90-1212	3/4 x 3/4
46.60	B2-OFFX90-1616	1 x 1



“The Hose People Plus”

Red-L Distributors Ltd.

Nisku

Corporate Headquarters & Distribution Center
3675 - 13 Street, Nisku, AB. T9E 1C5
P. 780.437.2630, 1.800.252.9390
Sales@redl.com

Bonnyville

6210A - 49 Avenue
Bonnyville, AB. T9N 2M5
P. 780.826.2333, F. 780.826.3239
bonnyville@redl.com

Grande Prairie

12001 - 97 Avenue
Grande Prairie, AB. T8W 0J7
P. 780.814.6010, F. 780.814.6015
gp@redl.com

Calgary

4800 - 52 Street S.E.
Calgary, AB. T2B 3R2
P. 403.720.2872, F. 403.720.2884
calgary@redl.com

Fort McMurray

3A - 380 Mackenzie Boulevard
Fort McMurray, AB. T9H 4C4
P. 780.791.0404, F. 780.743.5404
ftmac@redl.com

Lloydminster

B-5903-47 Street
Lloydminster, AB. T9V 2G4
P. 780.871.0766, F. 780.871.0607
lloydminster@redl.com

Edmonton west

11240 - 163rd Street
Edmonton, AB. T5M 1Y6
P. 780.451.2820, F. 780.452.0585
redlnorth@redl.com

Fort St. John

9421 Alaska Road, Ft. St. John
BC. V1J 1A3
P. 778.715.2909
fortstjohn@redl.com

Red Deer

#2, 7957 - 49th Avenue
Red Deer, AB. T4P 2V5
P. 403.346.4673, F. 403.340.0690
reddeer@redl.com

Edmonton south

9755 - 47 Avenue
Edmonton, AB. T6E 5M7
P. 780.431.8643, F. 780-988-5687
redlsouth@redl.com

Spruce Grove

65 Alberta Ave
Spruce Grove, AB. T7X 3Z5
P. 780.962.1147 F. 780.962.1982
sprucegrove@redl.com

Whitecourt

3415 - 41 Avenue
Whitecourt, AB. T7S 0A9
P. 780.778.5119
whitecourt@redl.com



Approved Supplier